

California State Board of Equalization 450 N Street, Sacramento, California

Mold Remediation – Fourth Floor Closure Report Addendum

Project No. 2372.02-572

Prepared for:

California Department of General Services 707 Third Street, 3-305 Sacramento, California 95605

Prepared by:

Chris Corpuz, MS, CIH, CAC Senior Associate LaCroix Davis LLC

Closure Report Date: December 8, 2009

Addendum Date: October 31, 2012

Please insert this
Closure Report Addendum
into the rear of the
Floor 4 Closure Report

1.0 Introduction

On August 26, 2009, LaCroix Davis LLC (LCD) and the Department of General Services Mold Remediation Project Team completed the mold remediation activities initially scheduled for Floor 4 of the Board of Equalization (BOE) building located at 450 N Street, Sacramento, California. At the completion of these activities, a closure report for this floor was compiled by LCD to summarize key events of the project.


Subsequent to the completion of the closure report, a need for additional investigation and/or remediation activities was identified. Identified areas were subjected to sampling. Using a combination of surface tape lift and/or bulk samples, LCD tested stains on walls and other building materials to determine if the stains were indicative of mold growth. The sample locations are depicted in a revised Figure 2 attached to this addendum.


Any information not previously available and information documenting additional mold-related activities was compiled by LCD and presented in this addendum.


2.0 Additional Activities

Additional mold-related activities performed on this floor after completion of the floor closure report include:

| May 2010 Fire Sprinkler Riser Cabinet | Inspection, testing, and remediation. |
|---|--|
| December 2010, February 2011 Room 4A, Fire Equipment Storage Room | Both rooms were inspected after being impacted by a leak from the janitor room sink on Floor 5 above. Room 4A was remediated. Stained fireproofing was marked. |
| March – April 2011 Column K-17, SE Quadrant | Inspection and remediation of stains on gypsum board and fireproofing caused by a leak through the exterior wall panels. Stained fireproofing was marked. |
| February 2012 Janitor Room | Replacement of vinyl composite tiles with epoxy floor to match upgraded flooring in other janitor rooms. |
| May 2012 Rooms 415, 416 | Inspection and remediation materials damaged by a water intrusion that also impacted the floor below. |







Daily Logs



DATE: 5/7/10

LACROIX DAVIS LLC 3685 MT. DIABLO BLVD. SUITE 210 LAFAYETTE, CA 94549 TEL 925-299-1140 FAX 925-299-1185 LCD REPS: _______;

PAGE / OF

| Client | Department of General Services (DGS) | Contractor: JLS Environmental | DaySwing_V Weekend/Holiday |
|--|---|-------------------------------|------------------------------------|
| Project | Board of Equalization (BOE) | Location(s): | Floor 1 Floor 3 Floor 4 Floor 5 |
| Building | 450 N Street, Sacramento CA | Compound(s) of Concern | Mold ACM LBP |
| LCD Project # -Task | 2372.0 <u>3</u> -572; SOW <u>5.0</u> | Description: F1 | oor 15E HallE |
| LCD Project # -Task | #-Task 2372.0 3 -572; SOW 5.0 Description: Fire Risers 3.4. | | |
| LCD Project # -Task | 2372.0572; SOW | Description: | |
| CONTAINMENT INFORMATION 1. Type of Containment: NPE | | | |
| Contractor Worker Exposu | ure Monitoring? # Workers Sampled | 4 | |

| PERSONAL EXPENSES: |
|--|
| Hotel: Per Diem: Travel: Destination: |
| FIELD SUPPLIES: PPE: Suits Gloves (pairs) Respirator filters: Misc: |
| LAB EXPENSES: Type/No. Samples collected: Tape BulkAir |
| Laboratory Name: |
| Notes |
| le for Jis mobilies to Floors I Si and Floors 34,5 1800 Free Risers 2000 Containments complete - all areas OK start Floor I inspect on as hottom 4 of syptoand Wallis femousle No supect VMG on reverse side of gyptoand - suppert Uniter stan on opposite wall sample # FIGETO! 21:10 inspect Floor 4 Fire Riser removal & photodoc conditions prior to detail cleaning (No supper stains observed) 21:10 inspect Floor 3 Fire Riser removal & photodoc conditions prior to detail cleaning criw break 11:20 to 5 Fire Riser removal & photodoc conditions prior to detail cleaning criw break 11:20 to 42:15 22:15 phoon I hall crew cleans up prior to sealing wall carry with poly for testing, to & 2 hours expected finile 23:00 inspect Fine Riser Cabinets pre encap at:10 of to encap all 3 FR cabinets |
| communicate ud HT/ Warry and JLS 65 vig eur |
| to consumpte peting at 10 AM 5/8/10 to |
| 5/8/10 9:00 to 1:00 clearance testing:coc, lab time |
| Signature Med Ned Date 5/1/10 |



DATE: 12

LACROIX DAVIS LLC 3685 MT. DIABLO BLVD. SUITE 210

PAGE

| Client | Department of General Services (DGS) | Contractor: JLS Environmental | DaySwing Weekend/Holiday |
|---|--------------------------------------|-------------------------------|----------------------------------|
| Project | Board of Equalization (BOE) | Location(s): | Floor 19 Floor 1 Floor 5 Floor 4 |
| Building | 450 N Street, Sacramento CA | Compound(s) of Concern | Mold ✓ ACM LBP Other |
| LCD Project # -Task | 2372.0 2 -572; SOW 5.0 | Description: 19 | - Containments |
| LCD Project # -Task | 2372.0 2 -572; SOW 4 · O | Description: 5 | 44 water leak |
| LCD Project # -Task | 2372.0572; SOW | Description: | |
| CONTAINMENT INFORMATION 1. Floor Occupied 5 4 Floor Vacant 19 2. Containments: a) 4 - 50 + 10 19 - North c) 10 17 d) | | | |
| SUMMARY OF ACTIVITIES MobPreplane, Removal/Load OutDetail CleanEncapsulationClearance TestingTear DownDeMob Phase Completion Visual Inspection: Prep-44,54, Anti-movalEncapsulationClearanceTear Down Summary: | | | |

LaCroix Dayis Project LOG Date: 12010

Page 2 of 2

| PERSONAL EXPENSES: | |
|---|----------------------|
| Hotel: Per Diem: Travel: Destination: 54e | |
| FIELD SUPPLIES: PPE: Suits / Gloves (pairs) / Respirator filters: Misc: | _ |
| LAB EXPENSES: Type/No. Samples collected: Tape Bulk Air | _ |
| Laboratory Name/Location: | |
| Notes | |
| Shuft to 3:30 | |
| 8:30 Floor 19 - prep in North - modular - seal w/ poly+tape | |
| - removal adheswe continues 19 South | |
| so coul fast norng south to SE, | |
| 9:20 Floor 5- Koom, 5A and Janitor Goon install air movers | to |
| - dry damp wall materials at come base-check a | Bin PN |
| Floor 4 Room 4A mitall aur novers to dry damp wall | North) |
| 11-Break- | |
| 11:45 disected u/ M. Moore approach to Floor 5 & 4 as per prof | |
| conficalling ce and WF (HTI) to review response deti | DNS |
| and adjust as necessary to ensure as per protocal. | Management services. |
| Floor Jan Jos Floor THA 44 North well T monitor daily for | |
| 5A all walls & Changes | |
| williaber 5 Janutor East wall | |
| Crew continues work outloor 19 South - alhesive removal | |
| and North Prep mod Gurniture | |
| 1400 set up PM World W. JIS Two and HTI US meet on 5 at 6 PM | 1 |
| 14:15 Deferve 19 Douth Conditions of Moledures - work continu | 1 <u>05</u> |
| 18:00 perform 4 A rovebase Investigation - VMG observed | |
| perform Floor 4 Fireproofing inspectan at 4A Hall - No Stains | diserve |
| Signature Mush da Date 12/20/13 | 0 |
| | |



DATE: 12/21/10

LACROIX DAVIS LLC 3685 MT. DIABLO BLVD. SUITE 210 LAFAYETTE, CA 94549 TEL 925-299-1140 FAX 925-299-1185 LCD REPS: /////);

PAGE / OF Z

| | | | li. E / |
|--|--|--|----------------------------------|
| Client | Department of General Services (DGS) | Contractor: JLS Environmental | Day Va Swing V / Weekend/Holiday |
| Project | Board of Equalization (BOE) | Location(s): | Floor 19 Floor 5 Floor 4 Floor 1 |
| Building | 450 N Street, Sacramento CA | Compound(s) of Concern | Mold / ACM LBP Other |
| LCD Project # -Task | 2372.0 2 -572; SOW 5:0 | Description: 19 | containments |
| LCD Project # -Task | 2372.0 <u>2</u> -572; SOW <u>4.0</u> | Description: 4 | 5 flood 4A, 5A July |
| LCD Project # -Task | 2372.0 <u>2</u> -572; SOW <u>40</u> | Description: <u>Q</u> | per 1 carpet |
| Containments: a) 19 Type of Containment Type of Decon: Sho Manometer: Yes 9.5 Containment Entry Lo Containment and Dec HEPA Fans and Vac Negative Air Exhaust | con maintained in accordance with accepted practices a nums have current aerosol challenge test sticker: Yes_Location: Window Shaft Stairs Contractor Private 24 hour Sec Sec | Minor Procedure Sheet W/Vacuum ate Pressure: Yes 195N and procedures: Yes 197 No Interior 19-5 Extended | None None |
| Mob Prep. Remo | oval/Load Out Detail Clear 19-5 Encapsulation Inspection: Prep Removal Encapsul earners I 9 S there wall mosture contents not perfectly affacted, crack | ationClearance_ outh | Tear Down |
| Waste: Non-Hazardous Container: 6 Mil Do Location of Dumpster: Additional Worker PPE: D Respirator: Half Face Contractor Worker Expos | COMPLET IN ROSMAS 143, 117, 11 ONUMBLE AND EN Construction Debris V Hazardous Waste Hazardous Waste Hazardous Governous Hazardous Waste Haza | ardous Waste Manifest Burrito Wrap La Steel Toe Hard Ha | abelsOther |

LaCroix Davis Project LOG Date: 12/2/10

Page Z of Z

| PERSONAL EXPENSES: | |
|---|-------------------------|
| Hotel: Per Diem: Travel: Destination: Site & lab | |
| FIELD SUPPLIES: PPE: Suits Gloves (pairs) Respirator filters: Misc: | |
| LAB EXPENSES: Type/No. Samples collected: Tape 4 Bulk Air | |
| Laboratory Name/Location: EML PKK, W. Sacto | <u> </u> |
| Notes | |
| 19-South Continue adhesive removal - 2nd pass SE to NE begin cleaning untles centings, Floors - HEPA+ Wet wipe | |
| continue sep A Borth complete 1917 prep + persons remedia also discuss PM Carpet Samplene, + loor (start at 1800 | HEDUL Tion |
| perform impersion of walls to jacutify changed condition apply tape to seal cove base to well where it isn't toghthy photo doc conditions and fracedures cloor 19 South | Hill 8 Seibel |
| 1800 perform enspection of Rooms 117,118 and 143 w/ HT14 carpet. | |
| Signature Date 12/21/1 | 0 |
| O'Ignaturo Dato & | |



Client

PROJECT LOG

DATE: 12/22/10

LACROIX DAVIS LLC 3685 MT. DIABLO BLVD. SUITE 210 LAFAYETTE, CA 94549

Department of General Services

TEL 925-299-1140 FAX 925-299-1185 LCD REPS: TM);

Contractor: JLS

Environmental

PAGE / OF 2

Day V Swing 1

Weekend/Holiday_

| Project | Board of Equalization (BOE) | Location(s): | Floor 4 Floor 5 |
|---|---|---------------------------|-----------------------|
| Building | 450 N Street, Sacramento CA | Compound(s) of Concern | Mold i/ ACM LBP Other |
| LCD Project # -Task | 2372.0 2 -572; SOW <u>5.0</u> | Description: 19 | containments |
| LCD Project # -Task | 2372.0 2-572; SOW 4.0 | | our 4 and 5 flood |
| LCD Project # -Task | 2372.0 <u>4.0</u> | Description: F/ | or 1 Rm 143 |
| 1. Floor Occupied 1.5 Floor Vacant 19 2. Containments: a) 19-50-4h b) 19-Nov-4h c) 1917 d) e) f) 3. Type of Containment: NPE 19-50-4h Mini Barrier Tape Minor Procedures N/A 4. Type of Decon: Shower 2-Stage 19-50-4h 1Stage Drop Sheet W/Vacuum None 5. Manometer: Yes 19-5 No Strip Chart Record: Yes 19-5 No Adequate Pressure: Yes 19-5 No 6. Containment Entry Log: Yes 19-5 No 7. Containment and Decon maintained in accordance with accepted practices and procedures: Yes No 8. HEPA Fans and Vacuums have current aerosol challenge test sticker: Yes No 9. Negative Air Exhaust Location: Window Shaft Stairs Interior 19-5 Exterior 10. Security: Owner Contractor Private 24 hour V Secure Building | | | |
| SUMMARY OF ACTIVITIES Mob Prepign_Removal/Load Out Detail Clean_90 Encapsulation Clearance Testing Tear Down DeMob Phase Completion Visual Inspection: Prep Removal Encapsulation Clearance Tear Down_ Summary: | | | |
| · · | ure Monitoring YesNoV # vvorkers Sample 233 | | |

LaCroix Davis Project LOG Date: /2/2/10

Page Z of Z

| PERSONAL EXPENSES: Hotel: Per Diem: Travel: Destination: 2 te | |
|---|------|
| FIELD SUPPLIES: PPE: Suits Gloves (pairs) Respirator filters: Misc: | _ |
| LAB EXPENSES: Type/No. Samples collected: Tape Bulk Air | |
| Laboratory Name/Location: | |
| Notes | |
| Shift 7-3 ²⁰ weeky construction meeting 9.30-11: Besin final cleaning floor-wipe, Vacuum and brush crace competity detail elements at 12:44 Penform final visual insecution of testing Thursday prof jeageds w/ crew in North area—contained to 151: Schelule Pm: installation of dehymidifiers in 42,54 and 5 lands inspect foregase in 143 South wall of 1800 complete installation of Defuns 1800 complete installation of Person 1800 complete installation 1800 complete installation | foon |
| Signature Meonte Date 12/23 | 10 |



DATE: 12/23/10

LACROIX DAVIS LLC 3685 MT. DIABLO BLVD. SUITE 210 LAFAYETTE, CA 94549 TEL 925-299-1140 FAX 925-299-1185 LCD REPS: 7 ;

PAGE / OF 2

| Client | Department of General Services (DGS) | Contractor: JLS Environmental | Day/ Swing Weekend/Holiday |
|--|--|--|-------------------------------|
| Project | Board of Equalization (BOE) | Location(s): | Floor 4 Floor 5 |
| Building | 450 N Street, Sacramento CA | Compound(s) of Concern | Mold ACM LBP Other |
| LCD Project # -Task | 2372.0 2 -572; SOW <u>5.0</u> | Description: <u>F/</u> | oor 19 Containment |
| LCD Project # -Task | 2372.0 2-572; SOW 4:0 | Description: Fl | oor 445 |
| LCD Project # -Task | 2372.0572; SOW | Description: | 2011 |
| Type of Containment Type of Decon: Sho Manometer: Yes 19.0 Containment Entry Lo Containment and Decons HEPA Fans and Vaccos Negative Air Exhaust | South b) 19" North c) 1917 d) | Minor Procedure Sheet W/Vacuum_ te Pressure: Yes 9-9N and procedures: Yes 9-9 No Interior 19-50 Extended | None None |
| Phase Completion Visual Summary: Perform Communication Waste: Non-Hazardous Container: 6 Mil Do Location of Dumpster: F Additional Worker PPE: C Respirator: Half Face Contractor Worker Expose | Inspection: Prep Removal Encapsulation (Inspection: Prep Removal Encapsulation (Inspection: Prep Removal Encapsulation (Inspection: Prep Removal Encapsulation (Inspection: Prep Supplied Air (Inspection: Paper Prep | ation Clearance_ ordous Waste Manifest Burrito Wrap La Steel Toe Hard Ha | abels Other |
| On-Site Visitors: 1 | 23 | 4 | ` |

LaCroix Davis Project LOG Date: 12/23//(つ

Page 2of Z

| PERSONAL EXPENSES: |
|--|
| Hotel: Per Diem: Travel: Destination: |
| FIELD SUPPLIES: PPE: Suits Gloves (pairs) Respirator filters: Misc: |
| LAB EXPENSES: Type/No. Samples collected: Tape Bulk Air |
| Laboratory Name/Location: EML P&K, W. Sacto |
| Notes |
| Shift 7-300 + review lab report & roue clearance memo continue prep 19 North mest by The discuss cheeking dehunidifiers on floor 4 \$ 5 discuss todays work plan prep 19. North observe 10:80 prepara clearance testing 19 South by HT/ 12 aliver samples to lab + coc prep continues North 19. |
| Signature |
| |



On-Site Visitors: 1.

2.

PROJECT LOG

DATE: 2/11/11 2/12/11

LACROIX DAVIS LLC
3685 MT. DIABLO BLVD. SUITE 210
LAFAYETTE, CA 94549
TEL 925-299-1140 FAX 925-299-1185
LCD REPS: ; ; ;

PAGE / OF

| | L | | |
|---|---|-------------------------------|---|
| Client | Department of General Services (DGS) | Contractor: JLS Environmental | DaySwing_V Weekend/Holiday_V |
| Project | Board of Equalization (BOE) | Location(s): | FloorFloor |
| Building | 450 N Street, Sacramento CA | Compound(s) of Concern | Mold ACM LBP Other |
| LCD Project# | 2372.0 2 -572; SOW 5.0 | Description: 4 | A remediation |
| LCD Project# | 2372.0572; SOW | Description: | |
| LCD Project# | 2372.0572; SOW | Description: | 4 |
| 4. Type of Decon: Sh 5. Manometer: Yes V 6. Containment Entry L 7. Containment and De 8. HEPA Fans and Vac 9. Negative Air Exhaus 10. Security: Owner V SUMMARY OF ACTIVIT Mob Prep Rem Phase Completion Visua | t: NPE | orop Sheet W/Vacuum | None o No erior ear Down DeMob Tear Down A Cleanury |
| Container: 6 Mil D Location of Dumpster: Additional Worker PPE: I | Page 15W Gauces Disposable Suit Gloves VEye Protection Very Full Face PAPR Supplied Air | Burrito Wrap La | abelsOther |

LaCroix Davis Project LOG Date:_ Page Zof Z PERSONAL EXPENSES: Destination: 215 to audilab Per Diem: FIELD SUPPLIES: PPE: Suits // Gloves (pairs) // Respirator filters: // Misc: LAB EXPENSES: Type/No. Samples collected: Tape Air Laboratory Name/Location: 'EML testing 11:00 AM N12 10:30 11:00 Signature Date



DATE: 3/01/11

LACROIX DAVIS LLC 3685 MT. DIABLO BLVD. SUITE 210 LAFAYETTE, CA 94549 TEL 925-299-1140 FAX 925-299-1185 LCD REPS: TM/;

PAGE 1

| Client | Department of General Services (DGS) | Contractor: JLS Environmental | DaySwing_V Weekend/Holiday | | | |
|---|--|---|-------------------------------|--|--|--|
| Project | Board of Equalization (BOE) | Location(s): Floor_/_Floor_ Floor Floor_ | | | | |
| Building | 450 N Street, Sacramento CA Compound(s) of Concern Mold ACM LE Other | | | | | |
| LCD Project # | 2372.0 2 -572; SOW 5.0 | Description: Ro | | | | |
| LCD Project # | 2372.0 2 -572; SOW <u>4.0</u> | Description: Flo | or 4 SE Punch act be 16 | | | |
| LCD Project # | 2372.0 <u>7</u> -572; SOW <u>4.0</u> | Description: F/6 | or 1 Reception | | | |
| CONTAINMENT INFORMATION 1. Floor Occupied | | | | | | |
| Container: 6 Mil Do Location of Dumpster: F Additional Worker PPE: Di Respirator: Half Face Contractor Worker Exposu | construction Debris V Hazardous Waste Hazardou | Burrito WrapLa Steel Toe Hard Hat | bels Other | | | |

| PERSONAL EXPENSES: | |
|---|--|
| Hotel: V Per Diem: V Destination: 4 to | 16 |
| FIELD SUPPLIES: PPE: Suits II Gloves (pairs) // Respirator filters: | Misc: |
| LAB EXPENSES: Type/No. Samples collected: Tape (Super 4) Bulk | Air |
| Laboratory Name/Location: EML P\$K, W. Sacto | |
| Notes | |
| 17:00 meet u/Joan re: inspect at stained Ceiling tiles uf M. Hay 1780 inspect Floor I at home phones - stained and FP out of 1800 inspect Floor I at SE Funch out - cube 76 - stain 480 an tast a8 - FP not accessed - will need \$1.5 aconstance and painting following Sampling FP at both location 18245 - Room 145 prop Conglete - OK for removal of Carp 19:00 - crew suits up and begins carpet removal of Carp 19:00 or or or the suits and play and food out of carpe 20:00 or or the then location begins load out of carp 20:00 or or or the superior food Scraping adhesive food Scraping floor adhesive continues 23:00 brew Continues to work on floor adhesive 00:00 floor adhesive sensoral usons hoper scrapes Crew well continue to 2:00 lsm | AFPabove ceiling for cleanup ns. net. cove base stains on GB the begin |
| Signature Theom Scr | Date 3/01 - 3/02/ |
| | |



LACROIX DAVIS LLC 3685 MT. DIABLO BLVD. SUITE 210 LAFAYETTE, CA 94549
TEL 925-299-1140 FAX 925-299-1185
LCD REPS: _______;

PAGE_

| Department of General Services (DGS) | Contractor: JLS Environmental | Day Swing/ | | | |
|--|--|--|--|--|--|
| Board of Equalization (BOE) | Location(s): | Floor 1 Floor 4 Floor 22Floor | | | |
| 450 N Street, Sacramento CA | Compound(s) of Concern Mold / ACM LBP Other / oder | | | | |
| 2372.0_2-572; SOW 5.0 | Description: | efe 3 minis | | | |
| 2372.0 2-572; SOW 5.0 | Description: | 1000 4 SERKIT | | | |
| 2372.0 <u>Z</u> -572; SOW <u>5.0</u> | Description: F | loor 22 men women | | | |
| CONTAINMENT INFORMATION 1. Floor Occupied Floor Vacant 2. Containments: a) Floor Vacant 3. Type of Containment: NPE Mini Barrier Tape Minor Procedures N/A 4. Type of Decon: Shower 2-Stage 1Stage Drop Sheet W/Vacuum None 5. Manometer: Yes No Strip Chart Record: Yes No Adequate Pressure: Yes No 6. Containment Entry Log: Yes No Adequate Pressure: Yes No 7. Containment and Decon maintained in accordance with accepted practices and procedures: Yes No 8. HEPA Fans and Vacuums have current aerosol challenge test sticker: Yes No 9. Negative Air Exhaust Location: Window Shaft Stairs Interior Exterior 10. Security: Owner Contractor Private 24 hour Secure Building Tolearance Testing Tear Down DeMob Phase Completion Visual Inspection: Prep Removal Encapsulation Clearance Tear Down Summary: Per Down Year Building A | | | | | |
| | - | | | | |
| sposable Suit Gloves Eye Protection Full Face PAPR Supplied Air are Monitoring Yes No # Workers Sample | ed | | | | |
| | Board of Equalization (BOE) 450 N Street, Sacramento CA 2372.0 2-572; SOW 5.0 2372.0 2-572; SOW 5.0 2372.0 2-572; SOW 5.0 ATION Floor Vacant Were 2-Stage 1Stage Drop No Strip Chart Record: Yes No Adequate g: Yes No on maintained in accordance with accepted practices at ums have current aerosol challenge test sticker: Yes Location: Window Shaft Stairs Contractor Private 24 hour Section is val/Load Out 14 Detail Clean 4 Encapsulation 14 on specific state of the contractor of the cont | Board of Equalization (BOE) 450 N Street, Sacramento CA 2372.0 2-572; SOW 5.0 Description: F 2372.0 2-572; SOW 5.0 Description: F ATION Floor Vacant NPE | | | |

| PERSONAL EXPENSES: Hotel: Per Diem: Travel: Destination: |
|---|
| FIELD SUPPLIES: PPE: Suits 5 Gloves (pairs) 5 Respirator filters: Misc: |
| LAB EXPENSES: Type/No. Samples collected: Tape Bulk Air Laboratory Name/Location: FML P4K |
| Notes |
| 1800 Jls mob 3 egyp to Cape and Floor 4 begins prop 3 containments Cafe Floor 1 1 Track at Vending (ut including reverse in Kitchen) 2 Trashat Loto Machine 3 column to toto Machine 3 column to Hoor y 1 Se Princhart Column KIT 22 Encapsulation of Men's & womans restrooms 19:45 · Check Encaps men's & women's restrooms Floor 22 ON for testing Sat Aprill's restrooms Floor 3 discuss will be partially for the proposition of the floor for the proposition of the floor for the floor |
| 10100 With seallers & Final wipe to 3:00 at reading and to 3:05 LOTO - SHIP SHAPE AREA 3:15 to 3:30 |
| Signature |

LaCroix Davis, LLC

LACROIX DAVIS LLC 3685 MT. DIABLO BLVD. SUITE 210 LAFAYETTE, CA 94549 TEL 925-299-1140 FAX 925-299-1185

PROJECT LOG

DATE: <u>2/03/12 – 2/4/12</u>

LCD REPS: TMI

PAGE <u>1</u> OF <u>2</u>

| Client | Department of General Services (DGS) | Contractor: JLS Environmental | Day Swing <u>X</u> Weekend/Holiday <u>X</u> | | | |
|--|--|-------------------------------|--|--|--|--|
| Project | Board of Equalization (BOE) | Location(s): | Day = Swing = Floor 4 | | | |
| Address | 450 N Street Sacramento, CA 95814 | | Mold X ACM LBP Other - | | | |
| LCD Droinet # | 2272 02 E72. COW 4.0 | Description: Fla | or 4 Ionitor Doom | | | |
| LCD Project # | 2372.02-572; SOW 4.0 | Description: Fig | oor 4 Janitor Room | | | |
| CONTAINMENT INFORM | ATION | | | | | |
| 1. Floor OccupiedX_ | Floor Vacant | | | | | |
| 2. Containments: a) Floo | or 4 Janitor Room | | | | | |
| 3. Type of Containment: | NPE $\underline{\mathbf{X}}$ Mini Barrier Tape Minor Procedure | s N/A | | | | |
| 4. Type of Decon: Sho | ower 2-Stage 1Stage X Drop Shee | et W/Vacuum | None | | | |
| 5. Manometer: Yes | No Strip Chart Record: Yes \mathbf{X} No Adequate | Pressure: Yes No _ | | | | |
| 6. Containment Entry Lo | g: Yes X No | | | | | |
| 7. Containment and Dec | con maintained in accordance with accepted practices ar | nd procedures: Yes X | No | | | |
| 8. HEPA Fans and Vacu | ums have current aerosol challenge test sticker: Yes 2 | <u>K</u> No | | | | |
| 9. Negative Air Exhaust | Location: Window Exhaust Duct X Stairs In | nterior Exterior <u>X</u> | | | | |
| 10. Security: Owner <u>X</u> Contractor Private 24 hour <u>X</u> Secure Building <u>X</u> | | | | | | |
| | | | | | | |
| Work Activities | | | | | | |
| | al/Load Out X Detail Clean X Encapsulation Clearance | - | | | | |
| Phase Completion: Prep \underline{X} Visual Inspection \underline{X} Removal \underline{X} Encapsulation Clearance \underline{X} Tear Down | | | | | | |
| Waste | | | | | | |
| Non-Hazardous Construction Debris X Hazardous Waste Hazardous Waste Manifest Label | | | | | | |
| Waste Container: 6 Mil Double 6 Mil X Barrel Drum Box Burrito Wrap Other | | | | | | |
| Location of Dumpster: Floor 1 SW Garage | | | | | | |
| Personal Protective Equipment | | | | | | |
| Additional Worker PPE: Disposable Suit $\underline{\mathbf{X}}$ Gloves $\underline{\mathbf{X}}$ Eye Protection Steel Toe Hard Hat Chemical Apron | | | | | | |
| Respirator: Half Face X Full Face PAPR Supplied Air Filter: P100 | | | | | | |
| Contractor Worker Exposure Monitoring Yes NoX_ # Workers Sampled | | | | | | |
| On-Site Visitors : 1. 2. 3. 4. | | | | | | |

LaCroix Davis Project LOG Date: 2/3&4/12

| Page | 2 | of | 2 |
|------|---|----|---|
| | | | |

| PROJECT EXPENSE | S |
|-----------------|---|
|-----------------|---|

Staff: Lodging: x Per Diem: x Travel: x Destination: site and lab Field Supplies: PPE: Disposable Suits x Gloves x Respirator filters: 2 Misc:

Laboratory: Type and Number of Samples collected: Tape Bulk Air 4 Other

Media: spore trap cassettes

Laboratory Name/Location: EML P&K, W. Sacramento, CA

Work Summary

- 18:00 meet with JLS JM and HTI LS regarding removal of F1 Room 129 SE insta hot water heater by BPM.
- JLS and Brice mobilize equipment to Floor 4 Janitor Room.
- Brice removes floor sink in F4 Janitor Room to allow VCT removal. Plumbing will require relocation. The stub outs will be relocated from the current penetrations through the cove base to a new location up the wall. JLS will remove approx 3' of wall to allow plumbing modification.
- 20:00 LCD and HTI perform inspection of cove base (~ 2 years old) = no visible staining on walls is observed.
- JLS removes wall material (~ 2 years old) at plumbing then proceeds to remove VCT and adhesive.
- JLS and HTI perform inspection of wall cavity = no visible staining.
- JLS trims the bottom ½" of the walls where gypsum board contacts the floor surface.
- 22:00 JLS manually removes VCT and adhesive (~2years old removed in very small chips using the heavy bar tool), no odor is reported by JLS, HTI and LCD representatives.
- 01:30 JLS completes floor removal
- 02:00 LCD and HTI perform removal/detail cleaning inspection and perform air quality testing.

Λ.

• Sample COC and delivery to lab.

41

| a respondice | |
|--------------|---------------------------|
| Signature: | Date: <u>2/3&4/12</u> |

LaCroix Davis, LLC

LACROIX DAVIS LLC 3685 MT. DIABLO BLVD. SUITE 210 LAFAYETTE, CA 94549 TEL 925-299-1140 FAX 925-299-1185

PROJECT LOG

Contractor: JLS

Day X Swing

Weekend/Holiday X

DATE: <u>5/12/12</u>

LCD REPS: TMI

PAGE 1 OF 2

Department of General Services

| Client | Building and Property Management (BPM) | Environmental | Weekend/Holiday X | | | |
|--|---|-----------------------|------------------------------|--|--|--|
| Project | Board of Equalization (BOE) | Location(s): | Day = 3, 4 Swing = | | | |
| Address | 450 N Street Sacramento, CA 95814 | | Mold X ACM LBP Other - | | | |
| LCD Project # | | Description: F3 | rooms 311, 312 | | | |
| LCD Project # | | Description: F4 | rooms - 415, 416 | | | |
| LCD Project # | | Description: | | | | |
| CONTAINMENT INFORM | ATION | | | | | |
| 1. Floor OccupiedX_ | Floor Vacant | | | | | |
| 2. Containments: a) F4 I | Room 415 b) F4 Room 416 | | | | | |
| 3. Type of Containment: | NPE X Mini Barrier Tape Minor Procedure | s N/A | | | | |
| 4. Type of Decon: Sho | wer 2-Stage 1Stage <u>X</u> Drop She | et W/Vacuum | None | | | |
| 5. Manometer: Yes X | No Strip Chart Record: Yes X No Adequat | e Pressure: Yes X N | 0 | | | |
| 6. Containment Entry Log: Yes X No | | | | | | |
| 7. Containment and Decon maintained in accordance with accepted practices and procedures: Yes X No | | | | | | |
| 8. HEPA Fans and Vacuums have current aerosol challenge test sticker: Yes X No | | | | | | |
| 9. Negative Air Exhaust | Location: Window Shaft Stairs Interior X E | xterior | | | | |
| 10. Security: Owner X Contractor Private 24 hour X Secure Building X | | | | | | |
| Work Activities | | | | | | |
| Mob X Prep X Removal/ | Load Out X Detail Clean X Encapsulation X Clearance | e Testing Tear Down D | DeMob | | | |
| | Inspection: Inspection X Prep X Removal X Enca | - | | | | |
| Waste | | | | | | |
| Non-Hazardous Construction Debris X Hazardous Waste Hazardous Waste Manifest Label | | | | | | |
| Waste Container: 6 Mil Double 6 Mil X Barrel Drum Box Burrito Wrap Other | | | | | | |
| Location of Dumpster: off-site | | | | | | |
| Personal Protective Equipment | | | | | | |
| Additional Worker PPE: Disposable Suit X Gloves X Eye Protection Steel Toe Hard Hat Chemical Apron | | | | | | |
| Respirator: Half Face X Full Face PAPR Supplied Air Filter: P100 | | | | | | |
| Contractor Worker Exposure Monitoring Yes No_ X_ # Workers Sampled | | | | | | |
| On-Site Visitors: 1. BPM | _ | | | | | |
| | | | | | | |

LaCroix Davis Project LOG Date: 5/12/12

| | | Page2 | of <u>2</u> |
|--|--|-------|-------------|
| | | | |

| Staff: Lodging:_ | X | Per Diem: | X | Travel: | X | Destination: site |
|------------------|---|-----------|---|---------|---|-------------------|
| | | | | | | |

Field Supplies: PPE: Disposable Suits x .Gloves x Respirator filters: P100 Misc:

Laboratory: Type and Number of Samples collected: Tape **1** Bulk Air **0** Other

Media: tape lift

Laboratory Name/Location: EML P&K, W. Sacramento, CA

Work Summary

- 06:45 TMI meet JLS review scope of work on floor 3. Discuss with HTI LS this area is priority 1. Work on floor 4 containment prep begins.
- Meet with BPM Charles and discuss moving cubicle 131. JLS begins moving cubicle 131 in room 311 to allow access to inspect/remove impacted wall and carpet tiles at room on partition wall to 312. All building materials (wet or exhibiting suspect staining) in the zone impacted by water intrusion. ~4" to 8" gypsum board at common wall in SE corner of room 312/311 and carpet tile in 311) were removed. 09:30 complete removal of impacted wall and carpet tiles. No visible mold growth.
- 10:30 Prep completed 416 and 415 all building materials (wet or exhibiting suspect staining) in the zone impacted by water intrusion (common wall between 415 and 416) were removed (floor to ceiling -2 stud bays). Reconstruction of walls will be completed by JLS Sunday following air testing.
- LCD and HTI observe and photo doc conditions and procedures.
- JLS installs gypsum board in 311 and 312 to allow replacement of cubicle 131. Resurfacing build back will occur Sunday.
- Set up Lab for analysis on Saturday night (weekend/holiday) at 9 PM. This will allow JLS to perform recleaning first thing Sunday morning if necessary.
- 14:45 detail cleaning work in 416 and 415 is completed.
- Carpet tiles are reinstalled and cubicle 131 is reinstalled.
- 16:00 break to 20:00.

| Theomela | | |
|------------|----------------------|--|
| Signature: | Date: <u>5/12/12</u> | |

Laboratory Reports



9/26/2012

LaCroix Davis, LLC 3685 Mt. Diablo Blvd. Suite 210 Lafayette, CA 94549

To Whom It May Concern:

The following data qualifier is reported for all samples in which prior to the release, the replicate quality control sample was not completed:

"Analysis of replicate sample is delayed."

In all instances where this data qualifier was reported for LaCroix Davis, LLC projects "DGS-BOE", all replicate samples have since been analyzed and quality control reviews have been completed. All reported data should therefore be considered accurate and final.

Please feel free to contact me if you have any further questions in this regard.

Sincerely,

Dr. Kamashwaran Ramanathan

Laboratory Director



Report for:

Mr. Chris Corpuz, Mr. Ted Ice, Mr. Ashley McKinley, Ms. Andrea Steinbach LaCroix Davis, LLC 3685 Mt. Diablo Blvd. Suite 210 Lafayette, CA 94549

Regarding: Project: DGS-BOE; Fire Riser 3,4,5 and SE Hall 1

EMĹ ID: 656636

Approved by:

Lab Manager Malcolm Moody Dates of Analysis:

Spore trap analysis: 05-08-2010

Service SOPs: Spore trap analysis (I100000)

For clarity, we report the number of significant digits as calculated; but, due to the nature of this type of biological data, the number of significant digits that is used for interpretation should generally be one or two. All samples were received in acceptable condition unless noted in the Report Comments portion in the body of the report. Due to the nature of the analyses performed, field blank corrections of results is not a standard practice. The results relate only to the items tested.

EMLab P&K ("the Company") shall have no liability to the client or the client's customer with respect to decisions or recommendations made, actions taken or courses of conduct implemented by either the client or the client's customer as a result of or based upon the Test Results. In no event shall the Company be liable to the client with respect to the Test Results except for the Company's own willful misconduct or gross negligence nor shall the Company be liable for incidental or consequential damages or lost profits or revenues to the fullest extent such liability may be disclaimed by law, even if the Company has been advised of the possibility of such damages, lost profits or lost revenues. In no event shall the Company's liability with respect to the Test Results exceed the amount paid to the Company by the client therefor.

Document Number: 200091 - Revision Number: 5

880 Riverside Parkway, West Sacramento, CA 95605 (866) 888-6653 Fax (650) 829-5852 www.emlab.com

Client: LaCroix Davis, LLC

C/O: Mr. Chris Corpuz, Mr. Ted Ice, Mr. Ashley

McKinley, Ms. Andrea Steinbach

Re: DGS-BOE; Fire Riser 3,4,5 and SE Hall 1

Date of Sampling: 05-08-2010 Date of Receipt: 05-08-2010 Date of Report: 05-08-2010

SPORE TRAP REPORT: NON-VIABLE METHODOLOGY

| Location: | | 508-A01: Exterior | | | | 508-A03: 5 SE FR ainment | 2372-508-A04 Floor 4 SE State Ambient | | |
|---------------------------------|-----------|----------------------|---------|-------------|-------------------|--------------------------------|---|-------------|--|
| Comments (see below) | | A | All | A | Cont | В | A | | |
| Lab ID-Version: | 2911664-1 | | 291 | 1665-1 | 291 | 1666-1 | 2911667-1 | | |
| | raw ct. | spores/m3 | raw ct. | spores/m3 | raw ct. spores/m3 | | raw ct. | spores/m3 | |
| Alternaria | 3 | 40 | raw ct. | spores/1113 | raw ct. | spores/1115 | raw ct. | зрогез/1113 | |
| Arthrinium | | 10 | | | | | | | |
| Ascospores* | | | | | | | | | |
| Aureobasidium | | | | | | | | | |
| Basidiospores* | 17 | 910 | 2 | 110 | | | 1 | 53 | |
| Bipolaris/Drechslera group | | , - , | _ | | | | | | |
| Botrytis | | | | | | | | | |
| Chaetomium | | | | | | | 1 | 13 | |
| Cladosporium | 5 | 270 | 2 | 2 110 | | | | | |
| Curvularia | | | | | | | | | |
| Epicoccum | | | | | | | | | |
| Fusarium | | | | | | | | | |
| Nigrospora | | | | | | | | | |
| Other brown | | | | | | | | | |
| Penicillium/Aspergillus types† | 2 | 110 | | | | | | | |
| Pithomyces | | | | | | | | | |
| Rusts* | | | | | | | 2 | 27 | |
| Smuts*, Periconia, Myxomycetes* | 11 | 150 | | | | | 2 | 27 | |
| Stachybotrys | | | | | | | | | |
| Stemphylium | | | 1 | 13 | | | | | |
| Torula | 3 | 40 | | | | | | | |
| Ulocladium | | | | | | | | | |
| Background debris (1-4+)†† | 2+ | | 3+ | | 1+ | | 3+ | | |
| Hyphal fragments/m3 | 93 | | 13 | | < 13 | | < 13 | | |
| Pollen/m3 | 67 | | 27 | | < 13 | | 27 | | |
| Skin cells (1-4+) | < 1+ | | 2+ | | < 1+ | | 3+ | | |
| Sample volume (liters) | 75 | | 75 | | 75 | | 75 | | |
| § TOTAL SPORES/m3 | | 1,500 | | 230 | | < 13 | | 120 | |

Comments: A) Analysis of replicate sample is delayed. B) No spores detected. Analysis of replicate sample is delayed.

product of the Limit of Detection and 1000 divided by the sample volume.

^{*} Most of these spore types are not seen with culturable methods (Andersen sampling), although some may appear as non-sporulating fungi. Most of the basidiospores are "mushroom" spores while the rusts and smuts are plant pathogens.

[†] The spores of Aspergillus and Penicillium (and others such as Acremonium, Paecilomyces) are small and round with very few distinguishing characteristics. They cannot be differentiated by non-viable sampling methods. Also, some species with very small spores are easily missed, and may be undercounted.

^{††}Background debris indicates the amount of non-biological particulate matter present on the trace (dust in the air) and the resulting visibility for the analyst. It is rated from 1+ (low) to 4+ (high). Counts from areas with 4+ background debris should be regarded as minimal counts and may be higher then reported. It is important to account for samples volumes when evaluating dust levels.

The Limit of Detection is the product of a raw count of 1 and 100 divided by the percent read. The analytical sensitivity (counts/m3) is the

[‡] A "Version" indicated by -"x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

[§] Total Spores/m3 has been rounded to two significant figures to reflect analytical precision.

880 Riverside Parkway, West Sacramento, CA 95605 (866) 888-6653 Fax (650) 829-5852 www.emlab.com

Client: LaCroix Davis, LLC

C/O: Mr. Chris Corpuz, Mr. Ted Ice, Mr. Ashley

McKinley, Ms. Andrea Steinbach

Re: DGS-BOE; Fire Riser 3,4,5 and SE Hall 1

Date of Sampling: 05-08-2010 Date of Receipt: 05-08-2010 Date of Report: 05-08-2010

SPORE TRAP REPORT: NON-VIABLE METHODOLOGY

| Location: | Floor | 508-A05: 4 SE FR ainment | Floor 3 | 508-A06: SE Stairs abient | Floor | 508-A07: 3 SE FR ainment | 2372-508-A0 Floor 1 SE H Ambient | | |
|---------------------------------|---------|--------------------------------|---------|---------------------------------|---------|--------------------------------|--|-----------|--|
| Comments (see below) | | A | | A | | A | A | | |
| Lab ID-Version‡: | 291 | 2911668-1 | | 1669-1 | 291 | 1670-1 | 2911671-1 | | |
| | raw ct. | spores/m3 | raw ct. | spores/m3 | raw ct. | spores/m3 | raw ct. | spores/m3 | |
| Alternaria | | | | | | | 1 | 13 | |
| Arthrinium | | | | | | | | | |
| Ascospores* | | | | | | | | | |
| Aureobasidium | | | | | | | | | |
| Basidiospores* | 1 | 53 | 1 | 53 | 1 | 53 | 2 | 110 | |
| Bipolaris/Drechslera group | | | | | | | | | |
| Botrytis | | | | | | | | | |
| Chaetomium | | | | | | | | | |
| Cladosporium | | | 1 53 | | | | | | |
| Curvularia | | | | | | | | | |
| Epicoccum | | | | | | | | | |
| Fusarium | | | | | | | | | |
| Nigrospora | | | | | | | | | |
| Other brown | 1 | 13 | | | | | 1 | 13 | |
| Penicillium/Aspergillus types† | | | | | | | | | |
| Pithomyces | | | | | | | | | |
| Rusts* | | | 1 | 13 | | | 1 | 13 | |
| Smuts*, Periconia, Myxomycetes* | | | 2 | 27 | 2 | 27 | 1 | 13 | |
| Stachybotrys | | | | | | | | | |
| Stemphylium | | | | | | | | | |
| Torula | | | | | | | | | |
| Ulocladium | | | | | | | | | |
| Background debris (1-4+)†† | 2+ | | 3+ | | 1+ | | 3+ | | |
| Hyphal fragments/m3 | 13 | | 27 | | < 13 | | 13 | | |
| Pollen/m3 | < 13 | | < 13 | | 13 | | < 13 | | |
| Skin cells (1-4+) | < 1+ | | 2+ | | < 1+ | | 2+ | | |
| Sample volume (liters) | 75 | | 75 | | 75 | | 75 | | |
| § TOTAL SPORES/m3 | | 67 | | 150 | | 80 | | 160 | |

Comments: A) Analysis of replicate sample is delayed.

^{*} Most of these spore types are not seen with culturable methods (Andersen sampling), although some may appear as non-sporulating fungi. Most of the basidiospores are "mushroom" spores while the rusts and smuts are plant pathogens.

[†] The spores of *Aspergillus* and *Penicillium* (and others such as *Acremonium, Paecillomyces*) are small and round with very few distinguishing characteristics. They cannot be differentiated by non-viable sampling methods. Also, some species with very small spores are easily missed, and may be undercounted.

^{††}Background debris indicates the amount of non-biological particulate matter present on the trace (dust in the air) and the resulting visibility for the analyst. It is rated from 1+ (low) to 4+ (high). Counts from areas with 4+ background debris should be regarded as minimal counts and may be higher then reported. It is important to account for samples volumes when evaluating dust levels.

The Limit of Detection is the product of a raw count of 1 and 100 divided by the percent read. The analytical sensitivity (counts/m3) is the product of the Limit of Detection and 1000 divided by the sample volume.

[‡] A "Version" indicated by -"x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

[§] Total Spores/m3 has been rounded to two significant figures to reflect analytical precision.

880 Riverside Parkway, West Sacramento, CA 95605 (866) 888-6653 Fax (650) 829-5852 www.emlab.com

Client: LaCroix Davis, LLC

C/O: Mr. Chris Corpuz, Mr. Ted Ice, Mr. Ashley

McKinley, Ms. Andrea Steinbach

Re: DGS-BOE; Fire Riser 3,4,5 and SE Hall 1

Date of Sampling: 05-08-2010 Date of Receipt: 05-08-2010 Date of Report: 05-08-2010

SPORE TRAP REPORT: NON-VIABLE METHODOLOGY

| Location: | | -508-A09: all E Containment | | 508-A10: Exterior | | | | |
|---------------------------------|---------|--------------------------------|---------|----------------------|--|--|--|--|
| Comments (see below) | | A | A | | | | | |
| Lab ID-Version‡: | 29 | 11672-1 | 291 | 1673-1 | | | | |
| | raw ct. | spores/m3 | raw ct. | spores/m3 | | | | |
| Alternaria | | - | 3 | 40 | | | | |
| Arthrinium | | | | | | | | |
| Ascospores* | | | 3 | 160 | | | | |
| Aureobasidium | | | | | | | | |
| Basidiospores* | 1 | 53 | 20 | 1,100 | | | | |
| Bipolaris/Drechslera group | | | | | | | | |
| Botrytis | | | | | | | | |
| Chaetomium | | | | | | | | |
| Cladosporium | | | 7 | 370 | | | | |
| Curvularia | | | | | | | | |
| Epicoccum | | | | | | | | |
| Fusarium | | | | | | | | |
| Myrothecium | | | | | | | | |
| Nigrospora | | | 1 | 13 | | | | |
| Other brown | | | | | | | | |
| Penicillium/Aspergillus types† | | | | | | | | |
| Pithomyces | | | | | | | | |
| Rusts* | | | 8 | 110 | | | | |
| Smuts*, Periconia, Myxomycetes* | | | 53 | 710 | | | | |
| Stachybotrys | | | | | | | | |
| Stemphylium | | | | | | | | |
| Torula | | | 6 | 80 | | | | |
| Ulocladium | | | | | | | | |
| Background debris (1-4+)†† | 4+ | | 2+ | | | | | |
| Hyphal fragments/m3 | < 13 | | 110 | | | | | |
| Pollen/m3 | 13 | | 160 | · | | | | |
| Skin cells (1-4+) | 1+ | | < 1+ | | | | | |
| Sample volume (liters) | 75 | | 75 | | | | | |
| § TOTAL SPORES/m3 | | 53 | | 2,500 | | | | |

Comments: A) Analysis of replicate sample is delayed.

product of the Limit of Detection and 1000 divided by the sample volume.

^{*} Most of these spore types are not seen with culturable methods (Andersen sampling), although some may appear as non-sporulating fungi. Most of the basidiospores are "mushroom" spores while the rusts and smuts are plant pathogens.

[†] The spores of Aspergillus and Penicillium (and others such as Acremonium, Paecilomyces) are small and round with very few distinguishing characteristics. They cannot be differentiated by non-viable sampling methods. Also, some species with very small spores are easily missed, and may be undercounted.

^{††}Background debris indicates the amount of non-biological particulate matter present on the trace (dust in the air) and the resulting visibility for the analyst. It is rated from 1+ (low) to 4+ (high). Counts from areas with 4+ background debris should be regarded as minimal counts and may be higher then reported. It is important to account for samples volumes when evaluating dust levels.

The Limit of Detection is the product of a raw count of 1 and 100 divided by the percent read. The analytical sensitivity (counts/m3) is the

[‡] A "Version" indicated by -"x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

[§] Total Spores/m3 has been rounded to two significant figures to reflect analytical precision.

880 Riverside Parkway, West Sacramento, CA 95605 (866) 888-6653 Fax (650) 829-5852 www.emlab.com

Client: LaCroix Davis, LLC

C/O: Mr. Chris Corpuz, Mr. Ted Ice, Mr. Ashley

McKinley, Ms. Andrea Steinbach

Re: DGS-BOE; Fire Riser 3,4,5 and SE Hall 1

Date of Sampling: 05-08-2010 Date of Receipt: 05-08-2010 Date of Report: 05-08-2010

MoldRANGETM: Extended Outdoor Comparison Outdoor Location: 2372-508-A01, SW Exterior

| Fungi Identified | Outdoor | Туріса | al Outdoo | r Data by | Date† | Typical | Outdoor | Outdoor Data by Location‡ | | | | | |
|---------------------------------|-----------|--------|-----------|-----------|--------|---------|---------|---------------------------|--------|--|--|--|--|
| | data | | Montl | n: May | | | State | ate: CA | | | | | |
| | spores/m3 | low | med | high | freq % | low | med | high | freq % | | | | |
| Generally able to grow indoors* | | | | | | | | | | | | | |
| Alternaria | 40 | 7 | 27 | 320 | 58 | 7 | 27 | 230 | 56 | | | | |
| Bipolaris/Drechslera group | - | 7 | 13 | 130 | 16 | 7 | 13 | 130 | 13 | | | | |
| Chaetomium | - | 7 | 13 | 13 110 | | 7 | 13 | 120 | 20 | | | | |
| Cladosporium | 270 | 40 | 530 | 7,300 | 95 | 53 | 610 | 7,100 | 97 | | | | |
| Curvularia | - | 7 | 13 | 350 | 9 | 7 | 13 | 230 | 7 | | | | |
| Nigrospora | - | 7 | 13 | 190 | 8 | 7 | 13 | 170 | 8 | | | | |
| Penicillium/Aspergillus types | 110 | 25 | 160 | 1,600 | 74 | 33 | 210 | 2,400 | 85 | | | | |
| Stachybotrys | - | 7 | 13 | 220 | 4 | 7 | 13 | 270 | 5 | | | | |
| Torula | 40 | 7 | 13 | 170 | 13 | 7 | 13 | 150 | 12 | | | | |
| Seldom found growing indoors** | | | | | | | | | | | | | |
| Ascospores | - | 13 | 170 | 6,800 | 82 | 13 | 110 | 2,000 | 70 | | | | |
| Basidiospores | 910 | 13 | 270 | 8,800 | 92 | 13 | 210 | 8,200 | 93 | | | | |
| Rusts | - | 7 | 20 | 280 | 25 | 7 | 13 | 260 | 27 | | | | |
| Smuts, Periconia, Myxomycetes | 150 | 7 | 53 | 970 | 75 | 8 | 40 | 510 | 69 | | | | |
| § TOTAL SPORES/m3 | 1,500 | | | | | | | | | | | | |

[†] The Typical Outdoor Data by Date represents the typical outdoor spore levels across North America for the month indicated. The last column represents the frequency of occurrence. The low, medium, and high values represent the 2.5, 50, and 97.5 percentile values of the spore type when it is detected. For example, if the frequency of occurrence is 63% and the low value is 53, it would mean that the given spore type is detected 63% of the time and, when detected, 2.5% of the time it is present in levels above the detection limit and below 53 spores/m3. These values are updated periodically, and if enough data is not available to make a statistically meaningful assessment, it is indicated with a dash.

Interpretation of the data contained in this report is left to the client or the persons who conducted the field work. This report is provided for informational and comparative purposes only and should not be relied upon for any other purpose. "Typical outdoor data" are based on the results of the analysis of samples delivered to and analyzed by EMLab P&K and assumptions regarding the origins of those samples. Sampling techniques, contaminants infecting samples, unrepresentative samples and other similar or dissimilar factors may affect these results. In addition, EMLab P&K may not have received and tested a representative number of samples for every region or time period. EMLab P&K hereby disclaims any liability for any and all direct, indirect, punitive, incidental, special or consequential damages arising out of the use or interpretation of the data contained in, or any actions taken or omitted in reliance upon, this report.

[‡] The Typical Outdoor Data by Location represents the typical outdoor spore levels for the region indicated for the entire year. As with the Typical Outdoor Data by Date, the four columns represent the frequency of occurrence and the typical low, medium, and high concentration values for the spore type indicated. These values are updated periodically, and if enough data is not available to make a statistically meaningful assessment, it is indicated with a dash.

[§] Total Spores/m3 has been rounded to two significant figures to reflect analytical precision.

^{*}The spores in this category are generally capable of growing on wet building materials in addition to growing outdoors. Building related growth is dependent upon the fungal type, moisture level, type of material, and other factors. *Cladosporium* is one of the predominant spore types worldwide and is frequently present in high numbers. *Penicillium/Aspergillus* species colonize both outdoor and indoor wet surfaces rapidly and are very easily dispersed. Other genera are usually present in lesser numbers.

^{**}These fungi are generally not found growing on wet building materials. For example, the rusts and smuts are obligate plant pathogens. However, in each group there are notable exceptions. For example, agents of wood decay are members of the basidiomycetes and high counts of a single morphological type of basidiospore on an inside sample should be considered significant.

880 Riverside Parkway, West Sacramento, CA 95605 (866) 888-6653 Fax (650) 829-5852 www.emlab.com

Client: LaCroix Davis, LLC

C/O: Mr. Chris Corpuz, Mr. Ted Ice, Mr. Ashley

McKinley, Ms. Andrea Steinbach

Re: DGS-BOE; Fire Riser 3,4,5 and SE Hall 1

Date of Sampling: 05-08-2010 Date of Receipt: 05-08-2010 Date of Report: 05-08-2010

MoldRANGETM: Extended Outdoor Comparison Outdoor Location: 2372-508-A10, SE Exterior

| Fungi Identified | Outdoor | Typica | al Outdoo | r Data by | Date† | Typical Outdoor Data by Location: | | | | | | |
|---------------------------------|-----------|--------|-----------|-----------|--------|-----------------------------------|-----|-------|--------|--|--|--|
| | data | | Mont | h: May | | | | | | | | |
| | spores/m3 | low | med | high | freq % | low | med | high | freq % | | | |
| Generally able to grow indoors* | | | | | | | | | | | | |
| Alternaria | 40 | 7 | 27 | 320 | 58 | 7 | 27 | 230 | 56 | | | |
| Bipolaris/Drechslera group | - | 7 | 13 | 130 | 16 | 7 | 13 | 130 | 13 | | | |
| Chaetomium | - | 7 | 13 | 110 | 13 | 7 | 13 | 120 | 20 | | | |
| Cladosporium | 370 | 40 | 530 | 7,300 | 95 | 53 | 610 | 7,100 | 97 | | | |
| Curvularia | - | 7 | 13 | 350 | 9 | 7 | 13 | 230 | 7 | | | |
| Nigrospora | 13 | 7 | 13 | 190 | 8 | 7 | 13 | 170 | 8 | | | |
| Penicillium/Aspergillus types | - | 25 | 160 | 1,600 | 74 | 33 | 210 | 2,400 | 85 | | | |
| Stachybotrys | - | 7 | 13 | 220 | 4 | 7 | 13 | 270 | 5 | | | |
| Torula | 80 | 7 | 13 | 170 | 13 | 7 | 13 | 150 | 12 | | | |
| Seldom found growing indoors** | | | | | | | | | | | | |
| Ascospores | 160 | 13 | 170 | 6,800 | 82 | 13 | 110 | 2,000 | 70 | | | |
| Basidiospores | 1,100 | 13 | 270 | 8,800 | 92 | 13 | 210 | 8,200 | 93 | | | |
| Rusts | 110 | 7 | 20 | 280 | 25 | 7 | 13 | 260 | 27 | | | |
| Smuts, Periconia, Myxomycetes | 710 | 7 | 53 | 970 | 75 | 8 | 40 | 510 | 69 | | | |
| § TOTAL SPORES/m3 | 2,500 | | | | | | | | | | | |

[†] The Typical Outdoor Data by Date represents the typical outdoor spore levels across North America for the month indicated. The last column represents the frequency of occurrence. The low, medium, and high values represent the 2.5, 50, and 97.5 percentile values of the spore type when it is detected. For example, if the frequency of occurrence is 63% and the low value is 53, it would mean that the given spore type is detected 63% of the time and, when detected, 2.5% of the time it is present in levels above the detection limit and below 53 spores/m3. These values are updated periodically, and if enough data is not available to make a statistically meaningful assessment, it is indicated with a dash.

Interpretation of the data contained in this report is left to the client or the persons who conducted the field work. This report is provided for informational and comparative purposes only and should not be relied upon for any other purpose. "Typical outdoor data" are based on the results of the analysis of samples delivered to and analyzed by EMLab P&K and assumptions regarding the origins of those samples. Sampling techniques, contaminants infecting samples, unrepresentative samples and other similar or dissimilar factors may affect these results. In addition, EMLab P&K may not have received and tested a representative number of samples for every region or time period. EMLab P&K hereby disclaims any liability for any and all direct, indirect, punitive, incidental, special or consequential damages arising out of the use or interpretation of the data contained in, or any actions taken or omitted in reliance upon, this report.

[‡] The Typical Outdoor Data by Location represents the typical outdoor spore levels for the region indicated for the entire year. As with the Typical Outdoor Data by Date, the four columns represent the frequency of occurrence and the typical low, medium, and high concentration values for the spore type indicated. These values are updated periodically, and if enough data is not available to make a statistically meaningful assessment, it is indicated with a dash.

[§] Total Spores/m3 has been rounded to two significant figures to reflect analytical precision.

^{*}The spores in this category are generally capable of growing on wet building materials in addition to growing outdoors. Building related growth is dependent upon the fungal type, moisture level, type of material, and other factors. *Cladosporium* is one of the predominant spore types worldwide and is frequently present in high numbers. *Penicillium/Aspergillus* species colonize both outdoor and indoor wet surfaces rapidly and are very easily dispersed. Other genera are usually present in lesser numbers.

^{**}These fungi are generally not found growing on wet building materials. For example, the rusts and smuts are obligate plant pathogens. However, in each group there are notable exceptions. For example, agents of wood decay are members of the basidiomycetes and high counts of a single morphological type of basidiospore on an inside sample should be considered significant.

Doc. # 200176 Rev. 24 Revised: 6/29/09 Page 1 of 1, QAD

12:150%

38

9000

DATE & TIME

RECEIVED BY

127

0/8/5

DATE & TIME

RELINQUISHED BY

タンスペング

D. Dusk 50 - Soil

T - Tape

SAMPLE TYPE CODES ST · Spore Trap: Zefon, Alergenco, Burkard... P - Potable Water

SW-5wab

8 - Bulk

SAS - Surface Air Sampler CP - Contact Plate

BC - BioCasserre A15 - Andersen NP - Non-Potable Water | O - Others

CHAIN OF CUSTODY 🥎 EMLab P&K www.EMLabPK.com

San Bruno, CA: 1150 Bayhill Drive, #100, San Bruno, CA 94066 * (866) 888-6653 Phaenic, AZ: 1501 West Knudsen Drive, Phoenia, AZ 85027 * (800) 651-4602 Cherry Hill, NJ: 1936 Olney Avenue, Cherry Hill, NJ 08003 * (866) 871-1984

Water, Bulk, Dust, Soil, Contact Plate REQUESTED SERVICES (* B BioCassette Andersen, 5AS, 5w: Culturable Swab der Spore G Wind Sign Z, ğ Light Moderate WEATHER Heavy None TEAET

| Mushes received after 2pm or on received the next business day. Futugi - Spore Trap Analysis - Other particles Spore Trap Analysis - Other particles Spore Trap Analysis - Other particles Culturative Spore Count Direct Etam J. Media Surface Fungi (Genus ID + Asp. spp.) 2-Media Surface Fungi (Genus ID + Asp. spp.) 3-Media Surface Fungi (Genus ID + Asp. spp.) 3-Media Surface Fungi (Genus ID + Asp. spp.) Culturable Air Fungi (Genus ID + Asp. spp.) 3-Media Surface Fungi (Genus ID + Asp. spp.) Culturable Air Fungi (Genus ID + Asp. spp.) 1-Media Surface Fungi (Genus ID + Asp. spp.) 3-Media Surface Fungi (Genus ID + Asp. spp.) | 03 | | <u> </u> | | | | | X | 72 | • | |
|---|------------------------------------|---|---|--|---|--|---|---|-----|---|--|
| Company for X Davis LLC Project ID: Das Y II 40 Project ID: Das X III 10 Project Desc.: Fire Lype 7,45 + 524all 1 | 2372 508. Aul Sw Exterior 35 WH 75 | 1372/508-402 Floor 5 St Stairs Ambient ST WH 75 | 2774508-403 Floor 5 SEFR Containment ST WH 75 | 2772 508: 404 Flore 4 SE Stairs Ambrest ST WH 75 | 2370 508 dos Floor 4 SC FR Containment ST WK 75 | | 2372 508. A08 Floor 1 SE HALL Ambust ST WH 75 | | SEE | | |

5/8/10 F1 SE Hall, F3, F4, F5 Fire Sprinkler Riser Cabinets AIR

By submitting this Chain of Custody, you agree to 4p boand by the terms and conditions set forth at www.amlabpk.com/terms.html

Copyright © 2002-2009 EMEab P&K



Report for:

Mr. Chris Corpuz, Mr. Ted Ice, Ms. Andrea Steinbach LaCroix Davis, LLC 3685 Mt. Diablo Blvd. Suite 210 Lafayette, CA 94549

Regarding: Project: DGS-BOE; Floor 4

EMĹ ID: 752413

Approved by:

Lab Manager Malcolm Moody Dates of Analysis:

Spore trap analysis: 02-12-2011

Service SOPs: Spore trap analysis (1038)

For clarity, we report the number of significant digits as calculated; but, due to the nature of this type of biological data, the number of significant digits that is used for interpretation should generally be one or two. All samples were received in acceptable condition unless noted in the Report Comments portion in the body of the report. Due to the nature of the analyses performed, field blank correction of results is not applied. The results relate only to the items tested.

EMLab P&K ("the Company") shall have no liability to the client or the client's customer with respect to decisions or recommendations made, actions taken or courses of conduct implemented by either the client or the client's customer as a result of or based upon the Test Results. In no event shall the Company be liable to the client with respect to the Test Results except for the Company's own willful misconduct or gross negligence nor shall the Company be liable for incidental or consequential damages or lost profits or revenues to the fullest extent such liability may be disclaimed by law, even if the Company has been advised of the possibility of such damages, lost profits or lost revenues. In no event shall the Company's liability with respect to the Test Results exceed the amount paid to the Company by the client therefor.

Document Number: 200091 - Revision Number: 5

880 Riverside Parkway, West Sacramento, CA 95605 (866) 888-6653 Fax (650) 829-5852 www.emlab.com

Client: LaCroix Davis, LLC

C/O: Mr. Chris Corpuz, Mr. Ted Ice, Ms. Andrea

Steinbach

Re: DGS-BOE; Floor 4

Date of Sampling: 02-12-2011 Date of Receipt: 02-12-2011 Date of Report: 02-12-2011

SPORE TRAP REPORT: NON-VIABLE METHODOLOGY

| Location: | Exte | 12.F4A01: rior NE | Floor 4 a | 12.F4A02: ambient SE hall | Floor 4 conta | 12.F4A03: room 4A ainment | | 2.F4A04: rior SW |
|---------------------------------|---------|----------------------|-----------|---------------------------------|------------------|---------------------------------|---------|---------------------|
| Comments (see below) | N | Vone | N | Vone | N | Vone | | A |
| Lab ID-Version‡: | 332 | 7896-1 | 332 | 7897-1 | 332 | 7898-1 | 332 | 7899-1 |
| | raw ct. | spores/m3 | raw ct. | spores/m3 | raw ct. | spores/m3 | raw ct. | spores/m3 |
| Alternaria | | • | | | | • | | • |
| Arthrinium | | | | | | | | |
| Ascospores* | | | | | | | 3 | 160 |
| Basidiospores* | 18 | 960 | | | | | 17 | 910 |
| Bipolaris/Drechslera group | | | | | | | | |
| Botrytis | | | | | | | | |
| Chaetomium | | | | | | | | |
| Cladosporium | 9 | 480 | | | | | 41 | 1,400 |
| Curvularia | | | | | | | | , |
| Epicoccum | | | | | | | | |
| Myrothecium | | | | | | | | |
| Nigrospora | | | | | | | | |
| Penicillium/Aspergillus types† | | | | | | | | |
| Pithomyces | | | | | | | | |
| Rusts* | | | | | 1 | 13 | 2 | 27 |
| Smuts*, Periconia, Myxomycetes* | 5 | 67 | | | | | 2 | 27 |
| Stachybotrys | | | | | | | | |
| Stemphylium | | | | | | | | |
| Torula | | | | | | | | |
| Ulocladium | | | | | | | | |
| Zygomycetes | | | | | | | | |
| Background debris (1-4+)†† | 3+ | | 3+ | | 3+ | | 3+ | |
| Hyphal fragments/m3 | 40 | | 13 | | < 13 | | 13 | |
| Pollen/m3 | 40 | | < 13 | | < 13 | | 67 | |
| Skin cells (1-4+) | < 1+ | | 1+ | | 1+ | | < 1+ | |
| Sample volume (liters) | 75 | | 75 | | 75 | | 75 | |
| § TOTAL SPORES/m3 | | 1,500 | | < 13 | | 13 | | 2,500 |

Comments: A) 19 of the raw count *Cladosporium* spores were present as a single clump.

Spore types listed without a count or data entry were not detected during the course of the analysis for the respective sample.

^{*}Most of these spore types are not seen with culturable methods (Andersen sampling), although some may appear as non-sporulating fungi. Most of the basidiospores are "mushroom" spores while the rusts and smuts are plant pathogens.

[†] The spores of Aspergillus and Penicillium (and others such as Acremonium, Paecilomyces) are small and round with very few distinguishing characteristics. They cannot be differentiated by non-viable sampling methods. Also, some species with very small spores are easily missed, and may be undercounted.

^{††}Background debris indicates the amount of non-biological particulate matter present on the trace (dust in the air) and the resulting visibility for the analyst. It is rated from 1+ (low) to 4+ (high). Counts from areas with 4+ background debris should be regarded as minimal counts and may be higher then reported. It is important to account for samples volumes when evaluating dust levels.

The Limit of Detection is the product of a raw count of 1 and 100 divided by the percent read. The analytical sensitivity (counts/m3) is the product of the Limit of Detection and 1000 divided by the sample volume.

For more information regarding analytical sensitivity, please contact QA by calling the laboratory.

‡ A "Version" indicated by -"x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

[§] Total Spores/m3 has been rounded to two significant figures to reflect analytical precision.

880 Riverside Parkway, West Sacramento, CA 95605 (866) 888-6653 Fax (650) 829-5852 www.emlab.com

Client: LaCroix Davis, LLC

C/O: Mr. Chris Corpuz, Mr. Ted Ice, Ms. Andrea

Steinbach

Re: DGS-BOE; Floor 4

Date of Sampling: 02-12-2011 Date of Receipt: 02-12-2011 Date of Report: 02-12-2011

MoldRANGETM: Extended Outdoor Comparison Outdoor Location: 2372.212.F4A01, Exterior NE

| Fungi Identified | Outdoor | or Typical Outdoor Data by Date† Typical Outdoor Data | | | | | | | ocation‡ |
|---------------------------------|-----------|---|--------|----------|--------|-----|-------|-------|----------|
| | data | | Month: | February | | | State | e: CA | |
| | spores/m3 | low | med | high | freq % | low | med | high | freq % |
| Generally able to grow indoors* | | | | | | | | | |
| Alternaria | - | 7 | 13 | 160 | 27 | 7 | 27 | 230 | 52 |
| Bipolaris/Drechslera group | - | 7 | 13 | 150 | 10 | 7 | 13 | 130 | 12 |
| Chaetomium | - | 7 | 13 | 230 | 7 | 7 | 13 | 120 | 19 |
| Cladosporium | 480 | 13 | 210 | 4,100 | 83 | 53 | 590 | 7,600 | 96 |
| Curvularia | - | 7 | 13 | 320 | 8 | 7 | 13 | 230 | 7 |
| Nigrospora | - | 7 | 13 | 120 | 8 | 7 | 13 | 200 | 9 |
| Penicillium/Aspergillus types | - | 13 | 150 | 1,700 | 76 | 33 | 210 | 2,400 | 84 |
| Stachybotrys | - | 7 | 13 | 1,700 | 2 | 7 | 13 | 230 | 4 |
| Torula | - | 7 | 13 | 160 | 5 | 7 | 13 | 160 | 11 |
| Seldom found growing indoors** | | | | | | | | | |
| Ascospores | - | 8 | 110 | 2,100 | 62 | 13 | 110 | 2,100 | 70 |
| Basidiospores | 960 | 13 | 210 | 8,400 | 85 | 13 | 210 | 8,600 | 92 |
| Rusts | - | 7 | 13 | 260 | 8 | 7 | 13 | 270 | 25 |
| Smuts, Periconia, Myxomycetes | 67 | 7 | 27 | 270 | 46 | 7 | 40 | 550 | 67 |
| § TOTAL SPORES/m3 | 1,500 | | | | | | | | |

[†] The Typical Outdoor Data by Date represents the typical outdoor spore levels across North America for the month indicated. The last column represents the frequency of occurrence. The low, medium, and high values represent the 2.5, 50, and 97.5 percentile values of the spore type when it is detected. For example, if the frequency of occurrence is 63% and the low value is 53, it would mean that the given spore type is detected 63% of the time and, when detected, 2.5% of the time it is present in levels above the detection limit and below 53 spores/m3. These values are updated periodically, and if enough data is not available to make a statistically meaningful assessment, it is indicated with a dash.

Interpretation of the data contained in this report is left to the client or the persons who conducted the field work. This report is provided for informational and comparative purposes only and should not be relied upon for any other purpose. "Typical outdoor data" are based on the results of the analysis of samples delivered to and analyzed by EMLab P&K and assumptions regarding the origins of those samples. Sampling techniques, contaminants infecting samples, unrepresentative samples and other similar or dissimilar factors may affect these results. In addition, EMLab P&K may not have received and tested a representative number of samples for every region or time period. EMLab P&K hereby disclaims any liability for any and all direct, indirect, punitive, incidental, special or consequential damages arising out of the use or interpretation of the data contained in, or any actions taken or omitted in reliance upon, this report.

EMLab P&K, LLC EMLab ID: 752413, Page 1 of 2

[‡] The Typical Outdoor Data by Location represents the typical outdoor spore levels for the region indicated for the entire year. As with the Typical Outdoor Data by Date, the four columns represent the frequency of occurrence and the typical low, medium, and high concentration values for the spore type indicated. These values are updated periodically, and if enough data is not available to make a statistically meaningful assessment, it is indicated with a dash.

[§] Total Spores/m3 has been rounded to two significant figures to reflect analytical precision.

^{*}The spores in this category are generally capable of growing on wet building materials in addition to growing outdoors. Building related growth is dependent upon the fungal type, moisture level, type of material, and other factors. *Cladosporium* is one of the predominant spore types worldwide and is frequently present in high numbers. *Penicillium/Aspergillus* species colonize both outdoor and indoor wet surfaces rapidly and are very easily dispersed. Other genera are usually present in lesser numbers.

^{**}These fungi are generally not found growing on wet building materials. For example, the rusts and smuts are obligate plant pathogens. However, in each group there are notable exceptions. For example, agents of wood decay are members of the basidiomycetes and high counts of a single morphological type of basidiospore on an inside sample should be considered significant.

880 Riverside Parkway, West Sacramento, CA 95605 (866) 888-6653 Fax (650) 829-5852 www.emlab.com

Client: LaCroix Davis, LLC

C/O: Mr. Chris Corpuz, Mr. Ted Ice, Ms. Andrea

Steinbach

Re: DGS-BOE; Floor 4

Date of Sampling: 02-12-2011 Date of Receipt: 02-12-2011 Date of Report: 02-12-2011

MoldRANGETM: Extended Outdoor Comparison Outdoor Location: 2372.212.F4A04, Exterior SW

| Fungi Identified | Outdoor | utdoor Typical Outdoor Data by Date† Typical Outdoor Data by | | | | | | | ocation‡ |
|---------------------------------|-----------|--|--------|----------|--------|-----|-------|-------|----------|
| | data | | Month: | February | | | State | e: CA | |
| | spores/m3 | low | med | high | freq % | low | med | high | freq % |
| Generally able to grow indoors* | | | | | | | | | |
| Alternaria | - | 7 | 13 | 160 | 27 | 7 | 27 | 230 | 52 |
| Bipolaris/Drechslera group | - | 7 | 13 | 150 | 10 | 7 | 13 | 130 | 12 |
| Chaetomium | - | 7 | 13 | 230 | 7 | 7 | 13 | 120 | 19 |
| Cladosporium | 1,400 | 13 | 210 | 4,100 | 83 | 53 | 590 | 7,600 | 96 |
| Curvularia | - | 7 | 13 | 320 | 8 | 7 | 13 | 230 | 7 |
| Nigrospora | - | 7 | 13 | 120 | 8 | 7 | 13 | 200 | 9 |
| Penicillium/Aspergillus types | - | 13 | 150 | 1,700 | 76 | 33 | 210 | 2,400 | 84 |
| Stachybotrys | - | 7 | 13 | 1,700 | 2 | 7 | 13 | 230 | 4 |
| Torula | - | 7 | 13 | 160 | 5 | 7 | 13 | 160 | 11 |
| Seldom found growing indoors** | | | | | | | | | |
| Ascospores | 160 | 8 | 110 | 2,100 | 62 | 13 | 110 | 2,100 | 70 |
| Basidiospores | 910 | 13 | 210 | 8,400 | 85 | 13 | 210 | 8,600 | 92 |
| Rusts | 27 | 7 | 13 | 260 | 8 | 7 | 13 | 270 | 25 |
| Smuts, Periconia, Myxomycetes | 27 | 7 | 27 | 270 | 46 | 7 | 40 | 550 | 67 |
| § TOTAL SPORES/m3 | 2,500 | | | | | | | | |

[†] The Typical Outdoor Data by Date represents the typical outdoor spore levels across North America for the month indicated. The last column represents the frequency of occurrence. The low, medium, and high values represent the 2.5, 50, and 97.5 percentile values of the spore type when it is detected. For example, if the frequency of occurrence is 63% and the low value is 53, it would mean that the given spore type is detected 63% of the time and, when detected, 2.5% of the time it is present in levels above the detection limit and below 53 spores/m3. These values are updated periodically, and if enough data is not available to make a statistically meaningful assessment, it is indicated with a dash.

Interpretation of the data contained in this report is left to the client or the persons who conducted the field work. This report is provided for informational and comparative purposes only and should not be relied upon for any other purpose. "Typical outdoor data" are based on the results of the analysis of samples delivered to and analyzed by EMLab P&K and assumptions regarding the origins of those samples. Sampling techniques, contaminants infecting samples, unrepresentative samples and other similar or dissimilar factors may affect these results. In addition, EMLab P&K may not have received and tested a representative number of samples for every region or time period. EMLab P&K hereby disclaims any liability for any and all direct, indirect, punitive, incidental, special or consequential damages arising out of the use or interpretation of the data contained in, or any actions taken or omitted in reliance upon, this report.

EMLab P&K, LLC EMLab ID: 752413, Page 2 of 2

[‡] The Typical Outdoor Data by Location represents the typical outdoor spore levels for the region indicated for the entire year. As with the Typical Outdoor Data by Date, the four columns represent the frequency of occurrence and the typical low, medium, and high concentration values for the spore type indicated. These values are updated periodically, and if enough data is not available to make a statistically meaningful assessment, it is indicated with a dash.

[§] Total Spores/m3 has been rounded to two significant figures to reflect analytical precision.

^{*}The spores in this category are generally capable of growing on wet building materials in addition to growing outdoors. Building related growth is dependent upon the fungal type, moisture level, type of material, and other factors. *Cladosporium* is one of the predominant spore types worldwide and is frequently present in high numbers. *Penicillium/Aspergillus* species colonize both outdoor and indoor wet surfaces rapidly and are very easily dispersed. Other genera are usually present in lesser numbers.

^{**}These fungi are generally not found growing on wet building materials. For example, the rusts and smuts are obligate plant pathogens. However, in each group there are notable exceptions. For example, agents of wood decay are members of the basidiomycetes and high counts of a single morphological type of basidiospore on an inside sample should be considered significant.

(sea) Vilipads assenty) 제공원

nearbà ggewaë - yerTinnau 🗘

MPN Bacteria (Please specify organism) (mainagno ylibada sasal9) nobemili anpidmaM Total Coliforns, E.roli (Primence/Abserice)

(Aqqs , بهکر + Ol عند الاساوا (Genus II) + جهه. (Aqq)

Spore Tehp Analysis - Other particles eizylenA qevil snoq2 • ignuA

3-Modia Suffece Fungi (Gedus ID + Asp. spc.)

As bestos Analysis - PLM (EPA method 600/R-93-116)

(NDSH - PEM Atmoore Fiber Count (NIOSH 7400)

(circosed epithuic bas his aldmuslu2) anno Dong nicil2 mm.)

CHAIN OF CUSTODY SEMLAD PRK www.EMLabPK.com

San Bruna, CA: 1150 Rayhill Drive, #100, San Bruna, CA 94066 * (866) 888-6653 Phoenix, AZ: 1501 West Knudsen Drive, Phoenix, AZ 85027 • (800) 651-4802 Cherry Hill, NJ: 1936 Olury Avenue, Cherry Hill, NJ 08003 * (866) 871-1984

CONTACTINECIRMATICAL

Conside Company Tille, A. Steward

HELECTER PROPERTION

-BOE

26.0

Poper ID.

Zujdwes

Floor

mjert Desc.

PO Number:

Zp Code:

925.299 1140

Phone

LALYOW DAVIS

000752413 BioCassecte "Andersen, SAS, and Swab ř Spora ê Clear Wind 3055 Rain 윱 WEATHER Moderate None Light

Water, Bulk, Desc, Suil, Contact Plate

2-Media Surface Fungi (Genus ID + Asp. spp.) Surface Pungi (Genus ID + App. Meditative Spore Count Direct Eam Direct Microscopic Exam (Qualitative)

emand 4 phone 4257195847 pecial Instructions:

THE SECTION TANGECORES (CA) SD - Same Business Day Rush STD · Standard (DEFAULT) ND - Next Business Day WH - Weekend/Holiday 2372.02-57 Date & Time; 2/12.

Populations 3 3 ū AND SEHINGS

372-21-4401

Floor 4 Roan 4A.Containment 372-213-F440-2

2312-212-54403 12.212.4444

SO - Soil D-Dust SW - Swab T - Tape B · Bulk ST - Spore Trap: Zefun, Allergenco, Burkard... P - Potable Water By submitting this Chain of Custody, you agree to be bound by the terms and conditions set forth at www.emlabpt.com/serms.html Colpyright © 2002-2009 EMLab P&K

NP - Non-Potable Water | O - Other:

SAS - Surface Air Sampler

8C ⋅ BioCassette A15 - Andersen CP - Contact Plate

Doc. # 200176 Rev. 24 Newwife 6/29/09 Pege Loë 1, QAD

P23

11211

CONTERTIME

RECEIVED BY



Report for:

Mr. Chris Corpuz, Mr. Ted Ice, Mr. Ashley McKinley, Ms. Andrea Steinbach LaCroix Davis, LLC 3685 Mt. Diablo Blvd. Suite 210 Lafayette, CA 94549

Regarding: Project: DGS-BOE; Floor 4 WDA

EMĹ ID: 758061

Approved by:

Lab Manager Malcolm Moody Dates of Analysis: Direct microscopic exam (Qualitative): 03-03-2011

Service SOPs: Direct microscopic exam (Qualitative) (I100005)

All samples were received in acceptable condition unless noted in the Report Comments portion in the body of the report. Due to the nature of the analyses performed, field blank correction of results is not applied. The results relate only to the items tested.

EMLab P&K ("the Company") shall have no liability to the client or the client's customer with respect to decisions or recommendations made, actions taken or courses of conduct implemented by either the client or the client's customer as a result of or based upon the Test Results. In no event shall the Company be liable to the client with respect to the Test Results except for the Company's own willful misconduct or gross negligence nor shall the Company be liable for incidental or consequential damages or lost profits or revenues to the fullest extent such liability may be disclaimed by law, even if the Company has been advised of the possibility of such damages, lost profits or lost revenues. In no event shall the Company's liability with respect to the Test Results exceed the amount paid to the Company by the client therefor.

Document Number: 200091 - Revision Number: 5

EMLab P&K, LLC EMLab ID: 758061, Page 1 of 2

880 Riverside Parkway, West Sacramento, CA 95605 (866) 888-6653 Fax (650) 829-5852 www.emlab.com

Client: LaCroix Davis, LLC

C/O: Mr. Chris Corpuz, Mr. Ted Ice, Mr. Ashley

McKinley, Ms. Andrea Steinbach Re: DGS-BOE; Floor 4 WDA Date of Sampling: 03-01-2011 Date of Receipt: 03-02-2011 Date of Report: 03-03-2011

DIRECT MICROSCOPIC EXAMINATION REPORT

(Wet Mount)

| Background Debris and/or Description | Miscellaneous Spores Present* | MOLD GROWTH: Molds seen with underlying mycelial and/or sporulating structures† | Other Comments†† | General Impression | | | | | |
|--|----------------------------------|---|---------------------|-----------------------|--|--|--|--|--|
| Lab ID-Version‡: 3352924-1: Tape sample 2372.30111.F4T01: SE po1, stain on gb ac | | | | | | | | | |
| Moderate | Very few | < 1+ <i>Cladosporium</i> species (spores, hyphae) | None | Minimal mold growth | | | | | |

[‡] A "Version" indicated by -"x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

EMLab P&K, LLC EMLab ID: 758061, Page 2 of 2

(Sept (filosofs septify) ADP

(BT F-EQ-SI/000 bortsom A93) MJ9 - siedenA aossadeA

CHAIN OF CUSTODY 🔇 EMLAB P&K www.EMLabPK.com

Phoenix, AZ: 1501 West Kaudsen Orive, Phoenix, AZ 85027 * (800) 651-4802 Cherry Hill, NJ: 1936 Olney Avenue, Cherry Hill, NJ 02003 * (866) &71-1984

Office Requests 000758061 BioCassette - Andersen, SAS, Swab, Water, Bulk, Oust, Soil, Contact Plate Tape Swab Bulk Sport Trap Ü Ş ¥ \$005 ě Fog **SWEATHER** етец ром Mode Heavy Heavy

Asbettos Analysis - PCM Airboyne Fiber Count (MIOSH 7400) (meinggio yliosog szesią) sinologii MRM (maintagno ylicaqs əsasiff) nolitatilifi əntərdməM (Sinsus (Culturable Alv and Surface Bacteria) gi (Crans ID + Asp. spb.) (.qqs .qtA + Cli sunaD) igavi .ஷA + Cl வமை) lgnUi ungi (Genus ID + Ath. spp.) നമർ ടാബ് souoD a (SvitetilauQ) masid a salaineq withO - sis aisylanA c 3685 Mt. Diablo D / X1/5 Some Business Day Bush STD Sandard (DEFAULT) ND - Next Business Day CHAIN CHAINEORARATION Consider puz, T. K.C., A. Stein Bach, A. Mysing Special Instructions D San Bruno, CA: 1150 Bayhill Drive, #100, San Bruno, CA 94066 * (866) 888-6653 Project Dec.: Floor 4 MD.
Project
Zip Code: DGS-BOE Campany DAWS, LLC Prome 425. 299. 1140 Project ID:

| _ | 21.3100 | ellandre |
|----------|-------------|---------------------------|
| 2 | bas h | 6)2 merz |
| 10 | ii ii 4 : | lduradio. |
| 1 |) of the | S AbaM-8 |
| 1 |) Silvin | 2 •M•dia 5 |
| ľ |) Břím | zeronau () 2. sibəlM+) |
| ı | q2 wi | звлопацС |
| d | 07501; | iM toπiC |
| d | ERM Q | eri evaq |
| | מופ זה | |
| | | ,==,1,1 |
| | | 100 |
| i | 351 | 8 |
| 1 | は、 | 100 |
| ř | \$: | 100 (4 |
| b | Q. | 制能值 |
| ř | 1 | 1 222 |
| ť | | |
| ş | Įij. | Post E |
| þ | 80.0 | |
| í | · · | |
| j | | |
| - | | |
| | | 抱鞋 |
| | ŀ | 表 |
| 3 | - | |
| | à | |
| 1 | Ę. | 133 (6) |
| | Ĕ | ei "a |
| | Ĕ | 原質 |
| ١ | 1 | 150 |
| 1 | 5 | F: , |
| į | 둫 | |
| <u>'</u> | | (V : 3) |
| ١ | ŀÌ | k*** |
| 3 | | 11. m 2. |
| 4 | | |
| | | Œ |
| | 2 | |
| | - | |
| Z | air | 6 |
| ż | 2772.02-6 | |
| 8 | N | |
| | 0 | |
| Ś | انہ | |
| 1 | 17 | |
| | ~ | |
| | N | 2000 |
| | ١., | |
| ŭ | و | 海 |
| 3 | Ę | 機能 |
| 4 | - 4 | 関係の機能 |
| ¥ | al | 计划指表或线针 |

S6 POL, 914in M

2372.30411 F4TOI

|) विकास्त्रकारी | | | | - | | | | |
|-----------------|-------|--|---|---|----|----------------|--|--|
| Citiesly(ness) | | | , | | 10 | - - | | |
| 127 | 216 | | | | | | | |
| (Mosta) | 1 | | | | | | | |
| | 40 ac | | | | | | | |

| - | TIME | | 8.300 | | | |
|-----------------|-------------------|---|---------------------|---|------------------------------------|--|
| | MACOATE | | 12/2/1 | | | |
| - | | | 2 | | - | |
| | RECEIVED B | Dropter | C Schot | | | |
| | MOATING TARE | 1/17/2 | | | | |
| · - | NETWOORSHEDIST | nome | | | -25 | |
| | | | | <u></u> | | |
| | | D - Dust | SO - Soil | | | |
| | | T-Tape | SW-Swab SO-Soil | B-Bulk | O : Others | |
| | SAMPLETRIPE CODES | ST - Spore Trap: Zefon, T - Tape D - Dust | Altergenco, Burkard | | NP - Non-Potable Water O - Other | |
| | | BC - BioCasserrz | A15 - Andersen | SAS - Surface Air Sampler P - Potable Water | | |

By submitting this Chain of Custody, you agree to be bound by the serms and conditions set forth at www.emlabpk.com/serms.homl Copyright © 2002-2009 PMK

Doc. # 200175 Rev. 24 Rev. ad 6/15/09 Page 1 of 1, QAD



Report for:

Mr. Chris Corpuz, Mr. Ted Ice, Ms. Andrea Steinbach LaCroix Davis, LLC 3685 Mt. Diablo Blvd. Suite 210 Lafayette, CA 94549

Regarding: Project: DGS-BOE; Floor 1 and Floor 4

EMĹ ID: 778843

Approved by:

Lab Manager Malcolm Moody Dates of Analysis:

Spore trap analysis: 04-30-2011

Service SOPs: Spore trap analysis (1038)

For clarity, we report the number of significant digits as calculated; but, due to the nature of this type of biological data, the number of significant digits that is used for interpretation should generally be one or two. All samples were received in acceptable condition unless noted in the Report Comments portion in the body of the report. Due to the nature of the analyses performed, field blank correction of results is not applied. The results relate only to the items tested.

EMLab P&K ("the Company") shall have no liability to the client or the client's customer with respect to decisions or recommendations made, actions taken or courses of conduct implemented by either the client or the client's customer as a result of or based upon the Test Results. In no event shall the Company be liable to the client with respect to the Test Results except for the Company's own willful misconduct or gross negligence nor shall the Company be liable for incidental or consequential damages or lost profits or revenues to the fullest extent such liability may be disclaimed by law, even if the Company has been advised of the possibility of such damages, lost profits or lost revenues. In no event shall the Company's liability with respect to the Test Results exceed the amount paid to the Company by the client therefor.

Document Number: 200091 - Revision Number: 5

880 Riverside Parkway, West Sacramento, CA 95605 (866) 888-6653 Fax (650) 829-5852 www.emlab.com

Client: LaCroix Davis, LLC

C/O: Mr. Chris Corpuz, Mr. Ted Ice, Ms. Andrea

Steinbach

Re: DGS-BOE; Floor 1 and Floor 4

Date of Sampling: 04-30-2011 Date of Receipt: 04-30-2011 Date of Report: 04-30-2011

SPORE TRAP REPORT: NON-VIABLE METHODOLOGY

| Location: | | 30.F4A01: SE ambient | Floor 4 | 30.F4A02: cube 76 | | 30.F1A03: ambient | | 30.F1A04: olumn loto |
|---------------------------------|---------|-------------------------|---------|----------------------|---------|----------------------|---------|-------------------------|
| Comments (see below) | | A | | A | | A | | A |
| Lab ID-Version‡: | 344 | 7340-1 | 344 | 3447341-1 | | 7342-1 | 344 | 7343-1 |
| | raw ct. | spores/m3 | raw ct. | spores/m3 | raw ct. | spores/m3 | raw ct. | spores/m3 |
| Alternaria | | | | | | | | |
| Arthrinium | | | | | | | | |
| Ascospores* | | | | | | | | |
| Aureobasidium | | | | | | | | |
| Basidiospores* | | | 1 | 13 | | | | |
| Bipolaris/Drechslera group | | | | | | | | |
| Chaetomium | | | | | | | | |
| Cladosporium | 1 | 13 | | | 4 | 53 | | |
| Curvularia | | | | | | | | |
| Epicoccum | | | | | | | | |
| Fusarium | | | | | | | | |
| Nigrospora | | | | | | | | |
| Oidium | | | | | | | | |
| Other brown | | | | | | | | |
| Penicillium/Aspergillus types† | | | | | | | | |
| Pithomyces | | | | | | | | |
| Rusts* | | | | | | | | |
| Smuts*, Periconia, Myxomycetes* | | | | | 1 | 13 | 1 | 13 |
| Stachybotrys | | | | | | | | |
| Stemphylium | | | | | | | | |
| Torula | | | | | | | | |
| Ulocladium | | | | | | | | |
| Background debris (1-4+)†† | 2+ | | 1+ | | 2+ | | 2+ | |
| Hyphal fragments/m3 | 13 | | < 13 | | < 13 | | 27 | |
| Pollen/m3 | 13 | | 13 | | 27 | | < 13 | |
| Skin cells (1-4+) | 1+ | | 1+ | | 1+ | | 1+ | |
| Sample volume (liters) | 75 | | 75 | | 75 | | 75 | |
| § TOTAL SPORES/m3 | 1 . 11 | 13 | | 13 | | 67 | | 13 |

Comments: A) Analysis of replicate sample is delayed. Secondary data review is delayed. Spore types listed without a count or data entry were not detected during the course of the analysis for the respective sample.

* Most of these spore types are not seen with culturable methods (Andersen sampling), although some may appear as non-sporulating fungi.

Most of the basidiospores are "mushroom" spores while the rusts and smuts are plant pathogens.

† The spores of Aspergillus and Penicillium (and others such as Acremonium, Paecilomyces) are small and round with very few distinguishing characteristics. They cannot be differentiated by non-viable sampling methods. Also, some species with very small spores are easily missed, and may be undercounted.

^{††}Background debris indicates the amount of non-biological particulate matter present on the trace (dust in the air) and the resulting visibility for the analyst. It is rated from 1+ (low) to 4+ (high). Counts from areas with 4+ background debris should be regarded as minimal counts and may be higher then reported. It is important to account for samples volumes when evaluating dust levels.

The Limit of Detection is the product of a raw count of 1 and 100 divided by the percent read. The analytical sensitivity (counts/m3) is the product of the Limit of Detection and 1000 divided by the sample volume.

For more information regarding analytical sensitivity, please contact QA by calling the laboratory.

‡ A "Version" indicated by -"x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

[§] Total Spores/m3 has been rounded to two significant figures to reflect analytical precision.

880 Riverside Parkway, West Sacramento, CA 95605 (866) 888-6653 Fax (650) 829-5852 www.emlab.com

Client: LaCroix Davis, LLC

C/O: Mr. Chris Corpuz, Mr. Ted Ice, Ms. Andrea

Steinbach

Re: DGS-BOE; Floor 1 and Floor 4

Date of Sampling: 04-30-2011 Date of Receipt: 04-30-2011 Date of Report: 04-30-2011

SPORE TRAP REPORT: NON-VIABLE METHODOLOGY

| Location: | | 30.F1A05: nding trash | | 30.F1A06: oto trash | | 30.F1A07: for post N |
|---------------------------------|---------|--------------------------|---------|------------------------|---------|-------------------------|
| Comments (see below) | | A | | A | | A |
| Lab ID-Version‡: | 344 | 7344-1 | 344 | 7345-1 | 344 | 17346-1 |
| | raw ct. | spores/m3 | raw ct. | spores/m3 | raw ct. | spores/m3 |
| Alternaria | | _ | | _ | | _ |
| Arthrinium | | | | | | |
| Ascospores* | | | | | 2 | 110 |
| Aureobasidium | | | | | | |
| Basidiospores* | 1 | 13 | | | | |
| Bipolaris/Drechslera group | | | | | 1 | 13 |
| Chaetomium | | | 1 | 13 | 1 | 13 |
| Cladosporium | | | 2 | 27 | 6 | 320 |
| Curvularia | | | | | | |
| Epicoccum | | | | | | |
| Fusarium | | | | | | |
| Nigrospora | | | | | 5 | 67 |
| Oidium | | | | | 3 | 40 |
| Other brown | 1 | 13 | 1 | 13 | | |
| Penicillium/Aspergillus types† | 1 | 13 | | | | |
| Pithomyces | | | | | | |
| Rusts* | 1 | 13 | | | | |
| Smuts*, Periconia, Myxomycetes* | | | | | 5 | 67 |
| Stachybotrys | | | | | | |
| Stemphylium | | | | | | |
| Torula | | | | | 6 | 80 |
| Ulocladium | | | | | | |
| Background debris (1-4+)†† | 3+ | | 2+ | | 3+ | |
| Hyphal fragments/m3 | < 13 | | 13 | | 53 | |
| Pollen/m3 | < 13 | | < 13 | | 110 | |
| Skin cells (1-4+) | 1+ | | 1+ | | < 1+ | |
| Sample volume (liters) | 75 | | 75 | | 75 | |
| § TOTAL SPORES/m3 | | 53 | | 53 | | 710 |

Comments: A) Analysis of replicate sample is delayed. Secondary data review is delayed.

Spore types listed without a count or data entry were not detected during the course of the analysis for the respective sample.

Most of these spore types are not seen with culturable methods (Andersen sampling), although some may appear as non-sporulating fungi.

Most of the basidiospores are "mushroom" spores while the rusts and smuts are plant pathogens.

† The spores of Aspergillus and Penicillium (and others such as Acremonium, Paecilomyces) are small and round with very few distinguishing characteristics. They cannot be differentiated by non-viable sampling methods. Also, some species with very small spores are easily missed, and may be undercounted.

^{††}Background debris indicates the amount of non-biological particulate matter present on the trace (dust in the air) and the resulting visibility for the analyst. It is rated from 1+ (low) to 4+ (high). Counts from areas with 4+ background debris should be regarded as minimal counts and may be higher then reported. It is important to account for samples volumes when evaluating dust levels.

The Limit of Detection is the product of a raw count of 1 and 100 divided by the percent read. The analytical sensitivity (counts/m3) is the product of the Limit of Detection and 1000 divided by the sample volume.

For more information regarding analytical sensitivity, please contact QA by calling the laboratory.

‡ A "Version" indicated by -"x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

[§] Total Spores/m3 has been rounded to two significant figures to reflect analytical precision.

880 Riverside Parkway, West Sacramento, CA 95605 (866) 888-6653 Fax (650) 829-5852 www.emlab.com

Client: LaCroix Davis, LLC

C/O: Mr. Chris Corpuz, Mr. Ted Ice, Ms. Andrea

Steinbach

Re: DGS-BOE; Floor 1 and Floor 4

Date of Sampling: 04-30-2011 Date of Receipt: 04-30-2011 Date of Report: 04-30-2011

MoldRANGE™: Extended Outdoor Comparison Outdoor Location: 2372.430.F1A07, Exterior post N

| Fungi Identified | Outdoor | Typical Outdoor Data by Date† Typical Outdoor Data by Loca | | | | | | | |
|---------------------------------|-----------|--|-------|----------|--------|-----|-------|-------|--------|
| | data | | Month | ı: April | | | State | e: CA | |
| | spores/m3 | low | med | high | freq % | low | med | high | freq % |
| Generally able to grow indoors* | | | | | | | | | |
| Alternaria | - | 7 | 27 | 240 | 40 | 7 | 27 | 230 | 52 |
| Bipolaris/Drechslera group | 13 | 7 | 13 | 130 | 11 | 7 | 13 | 130 | 12 |
| Chaetomium | 13 | 7 | 13 | 130 | 10 | 7 | 13 | 120 | 19 |
| Cladosporium | 320 | 27 | 310 | 5,300 | 89 | 53 | 590 | 7,800 | 96 |
| Curvularia | - | 7 | 13 | 230 | 7 | 7 | 13 | 230 | 7 |
| Nigrospora | 67 | 7 | 13 | 93 | 7 | 7 | 13 | 200 | 9 |
| Penicillium/Aspergillus types | - | 13 | 150 | 1,500 | 68 | 33 | 210 | 2,400 | 83 |
| Stachybotrys | - | 7 | 13 | 440 | 3 | 7 | 13 | 230 | 4 |
| Torula | 80 | 7 | 13 | 160 | 9 | 7 | 13 | 160 | 11 |
| Seldom found growing indoors** | | | | | | | | | |
| Ascospores | 110 | 13 | 110 | 3,600 | 75 | 13 | 110 | 2,100 | 69 |
| Basidiospores | - | 13 | 210 | 7,200 | 89 | 13 | 210 | 8,700 | 92 |
| Oidium | 40 | 7 | 13 | 270 | 18 | 7 | 13 | 200 | 18 |
| Rusts | - | 7 | 13 | 270 | 17 | 7 | 13 | 270 | 25 |
| Smuts, Periconia, Myxomycetes | 67 | 7 | 27 | 440 | 55 | 7 | 40 | 560 | 67 |
| § TOTAL SPORES/m3 | 710 | | | | | | | | |

[†] The Typical Outdoor Data by Date represents the typical outdoor spore levels across North America for the month indicated. The last column represents the frequency of occurrence. The low, medium, and high values represent the 2.5, 50, and 97.5 percentile values of the spore type when it is detected. For example, if the frequency of occurrence is 63% and the low value is 53, it would mean that the given spore type is detected 63% of the time and, when detected, 2.5% of the time it is present in levels above the detection limit and below 53 spores/m3. These values are updated periodically, and if enough data is not available to make a statistically meaningful assessment, it is indicated with a dash.

Interpretation of the data contained in this report is left to the client or the persons who conducted the field work. This report is provided for informational and comparative purposes only and should not be relied upon for any other purpose. "Typical outdoor data" are based on the results of the analysis of samples delivered to and analyzed by EMLab P&K and assumptions regarding the origins of those samples. Sampling techniques, contaminants infecting samples, unrepresentative samples and other similar or dissimilar factors may affect these results. In addition, EMLab P&K may not have received and tested a representative number of samples for every region or time period. EMLab P&K hereby disclaims any liability for any and all direct, indirect, punitive, incidental, special or consequential damages arising out of the use or interpretation of the data contained in, or any actions taken or omitted in reliance upon, this report.

EMLab P&K, LLC EMLab ID: 778843, Page 1 of 1

[‡] The Typical Outdoor Data by Location represents the typical outdoor spore levels for the region indicated for the entire year. As with the Typical Outdoor Data by Date, the four columns represent the frequency of occurrence and the typical low, medium, and high concentration values for the spore type indicated. These values are updated periodically, and if enough data is not available to make a statistically meaningful assessment, it is indicated with a dash.

[§] Total Spores/m3 has been rounded to two significant figures to reflect analytical precision.

^{*}The spores in this category are generally capable of growing on wet building materials in addition to growing outdoors. Building related growth is dependent upon the fungal type, moisture level, type of material, and other factors. *Cladosporium* is one of the predominant spore types worldwide and is frequently present in high numbers. *Penicillium/Aspergillus* species colonize both outdoor and indoor wet surfaces rapidly and are very easily dispersed. Other genera are usually present in lesser numbers.

^{**}These fungi are generally not found growing on wet building materials. For example, the rusts and smuts are obligate plant pathogens. However, in each group there are notable exceptions. For example, agents of wood decay are members of the basidiomycetes and high counts of a single morphological type of basidiospore on an inside sample should be considered significant.

Doc. # 200176 Rev. 24 Besised. 6/75/09 Page Loff, QAD

CHAIN OF CUSTODY SENILAD PARK www.EMLabPK.com

San Bruno, CA: 1150 Bayhill Drive, #100, San Bruno, CA 94066 * (866) 888-6653 Phoenix, AZ: 1501 West Knudsen Urive, Phoenix, AZ 85027 * (800) 651-4802 Cherry Hill, NJ: 1936 Olney Avenue, Cherry Hill, NJ 08003 * (866) 871-1984

Moderate Heavy

000778843

Culturable

REQUESTED SERVICES

Snow | Wind | Clear

WEATHER!

| • | | | 1 | | | | | | | | | |
|---|--|-----|--------------------------|------------------------------|-----------------------|---------------------|--------------------------|---|--|------------------------|--|--------------------------------------|
| | i | | | | | | | | | | | |
| | | | | | | . (| ••••• | | (DSEU) | ylibeq pecify | s અલ્ગા ઇ) પ્ર | Эd |
| | | 1 | Corn | 191 2 Head | 1-66-1 | 7009 | | n A9∃' | MI | • Sikyl | SaA 2013⊅0 | 15¥ |
| į | ⊢ | Н | tour | Z 1130 | (N) au | 10,10 | 413 80 | | | | Nav sotsad | |
| • | , E | | · | | | | Suus | uə. | 70. 250 70 Sen | rewas | - yerTones | 10 |
| | 2,5 | | | | (iii | ensgand | Asipa | ds ases | al-i i an | 1126121 1919) p | iii aasidme Siraasee Ma | iivi |
| | 3, 6 | | • | | - · · · · | (aon | 05q\// | vaueso. | Ja) w | ing to i | railo) lei ia seedma | W. |
| l | , Fig. | | | | | | <u> </u> | | -07/// | | nus eksney ar à llos ten | _ |
| I | And St. | ' [| (Eno | 1208 93 | المالي | bns niA | (alder | rajno) | Staud | | g nies2 mm | |
| ļ | 1 1 1 | ٠ [| | | | dds | qtP.+ | Ol zuñ | എ) മി | ruf ti | iA aldenualu | <u></u> - |
| ١ | 25.00 | Ļ | | | (-1 | ds gs | /+ 01 | รถแลว |) մեր | P 396 | hu2 aibaM | -E |
| ļ | BioCassette" Anderson, SAS, Sw. Weter, Bulk, Dum. Soil. Contact Phin | ļ | | | (°d | qe aph | /+ Oi | su raD |) լջկո | 9 <u>935</u> | իղջ բլեթիվ | z |
| ŀ | | + | | | (·q | ds n¢t | / ÷ al | sunas) |) ស៊ីមា | 1 30 F | nu2 aibaMi | ·ŗ |
| | Tape Swab | ┋┝ | ~ | · | | | | | | | svienioneut | |
| | | + | | | | | | | | | onoi M assni | |
| | Spunc Trap | 1~ | | · | | | e)laithí | | | | quvi sinq | |
| | $\overline{}$ | | 98891 | _ | , - | 7 127 | e been | ziz/ | JEUV C | ienT or | nogē - ignu | <u> </u> |
| | - | | | 18 | | N | | | | | | T |
| , | \Box | | | Ms. | 17 | | | į | P | () ()) () () | | |
| 4 | <u> </u> | | | 34 | <u> </u> | -110 | | | 2 | 1 | 7 | |
| | | | Miles |) <u>{</u> (2) | 1 | | | | 2 | | OTES Prop R | ř. |
| _ | + | | | di | | TI 2 | | 4 | | | ₽ E | ()) ()) |
| _ | | | | | | 1 | an plyant Saffan S | 5 | 5 1 | 4 | | M. |
| | | | | To | а | 11% | | | elved The Hout bosiness de east aleit ut in novance a | rekend analysis need | | |
| | : - | | 際 る | K | A_{Γ} | 孔纜 | | 3 | 1 | | | ì |
| | - - | ڭ | | 187 | -/- j | HP | 1 | 63,889 | | entrale Sentrale | 1000000 | 1 |
| | Heavy | | Z | 1/2 | 12 | 41隻 | 10000 | <u>(48) (38) (</u> | 8899977 F | (038)93 | | 1 |
| ľ | 68 | | * | , K. | . 🕏 | 9 | | | | | 0.0 | ١, |
| | | | 1 S | 43 | 8 | ≩ | | | | | | ţ |
| | | | | 10 | 2 | 顺 | 1 6 | 1 | Rush | | 11486688 90018855 | # 5 . |
| | | | 劉 木 | N. | 1 | 11多 | 1 8 | Ď. | Jay | day | 2.5 | 13 |
| | _ | | 導え | يزز | B | 1 | Ē | 9 | 655 | Holi | 200 (100 mg) | |
| | 4802 88 8- 6653 | - 1 | 運じ | Instructions | 2 | | Standard (DITAULT | ND · Next Business Day | eme Business Day Rush | Weekend/Holiday | 1 E 8 | ţ |
| | 4802 888-6 | | 3 | 볉 | 1 | | Gud | H. | 밑 | 3 | | i I |
| | 51.4 8.6 | | 河溪 | ál <u>á</u> | | | | ž | Ser | - ₹ | 1000000 | |
| | 98) (86 | | ACT AN | Spocial | | | 50.0 | 무: | SD - Se | ¥. | | |
| • | 8.6 | Ì | 2 | 1 | Τ | 5000 | | | + | ={ | | |
| • | · ¥ | | CONTACTIN | ļ | 1 | | | 7 | ļ | | | 4 |
| | ទីទី | ŀ | | <u> </u> | | | - | | Ī | | | -5 |
| | Ž ₽ | ŀ | | 12 | | 183 | ŀ | . <u>\$</u> . | <u> </u> | | 200 | 3 |
| | ă a | | V | 3 | | | | $ \tilde{f} $ | 6 | | escupios. | Ŋ |
| | y Page | ľ | % -} | 22 | | 8 | . , | - | S | K | | \ <u>`</u> |
| | 30 P | | 劉づ | 别 | 0 | 3 | W | 16 | | W | 4 | 7 |
| | 5 . | | ∭\\ <u>\</u> | | 37 | 2 | O | ٤, | , 티 | `.[| | 9 |
| , | å iç | Ŋ | 3 | - | | 哥 | $\mathcal{C}\mathcal{O}$ | 25 | | וואַ | | ц, |
| | 雪鼍 | 13 | | 12 | 5 | PROJECT INFORMATION | ٦ | ~_ <u>[</u> 8 | Date & Time: 4/30/11 |][_ | | 10 |
| |) 1 4 | | | (- <u>-</u> | 2 | 5 | W | 뉡 | Ī | | | Ī |
| | 15. | | ् ⊊ | - | 174 | ā | 14 | 1 | | 3 | | 11 |
| | ్ది | | 1 | 23 | 10 | 8 | Ä | 4 | İ | κII | 03000000 | Š |
| ֭֭֭֡֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜ | Findents, AZ 1301 West Knudsen Drive, Phoenix, AZ 85027 7 (800) 651. San Bruno, CA: 1150 Bayhill Drive, #100, San Bruno, CA 94066 1 (866) | | Campa Livery Davis, U.C. | College pur 1.10e1A. Henvach | Phone: 925, 299. 1148 | | Project 10: 1045 - 180E | Project. Desc. Floor / and Floor 4 | | PONumber 3372.02 572 | Sample 173 | 2372. 432. F4 Ast Floor 4 St. Luston |
| | 5 5 | | 劉濱 | 28 | | | 벑 | - 1 11 12 13 13 13 13 13 13 | Zip Code: | 副 | 7 E | 7 |
| i | Ę | Į. | \$ 5 | √ § | Phor | | Ĕ | Project. | , | ő | | 'n |
| | | | | | | | | 44 Jan | 151 | <u> -</u> | 10/09/6/09 | 7 |

| 2373 4201 FIACT EXTERIOR FOST | o are of a | 10057 N | 22 | 五九 | 81.6 10.16 | | XX | | | |
|-------------------------------|------------------------------------|---------------------|----------|-----------------|---------------|-----------|------|-----------------|---------|------|
| | | | _ | | | | + | | | |
| | | | | | | | 1 | | | |
| | | | | | | | | <u>†</u> | | |
| | | | _ | | · | | | | | |
| | SAMPLE TYPE TO DUS | | | A STANDOUGHED & | HED BOOK | PART NAME | | | ~ | |
| BC - BioCassette | ST - Spore Trap: Zefon, T - Tape | T - Tape D - Dust | ts | JANA MA | | 1/00/11 | • | 75. E. V. C. B. | DATE. | TIME |
| A1S - Anderson | Allergenco, Burkand | SW - Swab SO - Soil | <u> </u> | | | 1120/11 | | | | |
| SAS · Surface Air Sampler | P - Pocable Weber | B - Bulk | | | - | . | 7 | Schat | 11/05/1 | Ila |
| CP - Contact Plane | NP - Non-Potable Water O - Other | O - Other. | | | 1 | | | | 1 | |

By submitting this Charn of Custody, you agree to be bound by the terms and conditions set forth at www.cmlstapk.com/terms.html

Copyright © 2002-2009 EMLab P&K

AIR



Report for:

Mr. Chris Corpuz, Mr. Ted Ice, Ms. Andrea Steinbach LaCroix Davis, LLC 3685 Mt. Diablo Blvd. Suite 210 Lafayette, CA 94549

Regarding: Project: DGS-BOE; Floor 4, Janitor Room Floor

EMĹ ID: 884624

Approved by:

Lab Manager Malcolm Moody **REVISED REPORT**

Dates of Analysis: Spore trap analysis: 02-06-2012

Service SOPs: Spore trap analysis (1038)

For clarity, we report the number of significant digits as calculated; but, due to the nature of this type of biological data, the number of significant digits that is used for interpretation should generally be one or two. All samples were received in acceptable condition unless noted in the Report Comments portion in the body of the report. Due to the nature of the analyses performed, field blank correction of results is not applied. The results relate only to the items tested.

EMLab P&K ("the Company") shall have no liability to the client or the client's customer with respect to decisions or recommendations made, actions taken or courses of conduct implemented by either the client or the client's customer as a result of or based upon the Test Results. In no event shall the Company be liable to the client with respect to the Test Results except for the Company's own willful misconduct or gross negligence nor shall the Company be liable for incidental or consequential damages or lost profits or revenues to the fullest extent such liability may be disclaimed by law, even if the Company has been advised of the possibility of such damages, lost profits or lost revenues. In no event shall the Company's liability with respect to the Test Results exceed the amount paid to the Company by the client therefor.

Document Number: 200091 - Revision Number: 5

EMLab P&K, LLC EMLab ID: 884624, Page 1 of 2

EMLab ID: 884624, Page 2 of 2

880 Riverside Parkway, West Sacramento, CA 95605 (866) 888-6653 Fax (650) 829-5852 www.emlab.com

Client: LaCroix Davis, LLC

C/O: Mr. Chris Corpuz, Mr. Ted Ice, Ms. Andrea

Steinbach

Re: DGS-BOE; Floor 4, Janitor Room Floor

Date of Sampling: 02-04-2012 Date of Receipt: 02-04-2012 Date of Report: 02-04-2012

SPORE TRAP REPORT: NON-VIABLE METHODOLOGY

| Location: | | 0412.EA01: | | 020412. | | | | 0412.EA04 |
|---------------------------------|---------|------------|---------|-------------|---------|-----------|---------|-----------|
| | Exteri | or South | | A02: | | A03: | Exteri | or North |
| | | | | Ambient | | 4 Janitor | | |
| | | | | So. Hall | Cont | ainment | | |
| Comments (see below) | N | Vone | | lone | N | Vone | N | Vone |
| Lab ID-Version‡: | 392 | 8863-2 | 392 | 8864-2 | 392 | 8865-2 | 392 | 8866-2 |
| Analysis Date: | 02/0 | 06/2012 | 02/0 | 6/2012 | 02/0 | 06/2012 | 02/0 | 06/2012 |
| • | raw ct. | spores/m3 | raw ct. | spores/m3 | raw ct. | spores/m3 | raw ct. | spores/m3 |
| Alternaria | | • | 1 | 13 | | • | 1 | 13 |
| Ascospores* | 13 | 690 | | | | | 4 | 210 |
| Basidiospores* | 21 | 1,100 | | | 1 | 53 | 17 | 910 |
| Bipolaris/Drechslera group | | , | 1 | 13 | | | | |
| Chaetomium | | | | | | | | |
| Cladosporium | 45 | 2,400 | 1 | 53 | 1 | 53 | 14 | 750 |
| Epicoccum | 4 | 53 | 1 | 13 | 1 | 13 | | |
| Nigrospora | | | | | | | | |
| Other colorless | | | | | | | | |
| Penicillium/Aspergillus types† | 6 | 320 | | | | | 2 | 110 |
| Pithomyces | | | | | | | | |
| Rusts* | | | | | | | | |
| Smuts*, Periconia, Myxomycetes* | | | 1 | 13 | | | 1 | 13 |
| Stachybotrys | | | | | | | | |
| Stemphylium | | | | | | | | |
| Torula | | | | | | | | |
| Ulocladium | | | | | | | | |
| Zygomycetes | | | | | | | | |
| Background debris (1-4+)†† | 2+ | | 3+ | | 2+ | | 2+ | |
| Hyphal fragments/m3 | < 13 | | 13 | | < 13 | | < 13 | |
| Pollen/m3 | 40 | | 120 | | < 13 | | 40 | |
| Skin cells (1-4+) | < 1+ | | 1+ | | 1+ | | < 1+ | |
| Sample volume (liters) | 75 | | 75 | | 75 | | 75 | |
| § TOTAL SPORES/m3 | | 4,600 | | 110 | | 120 | | 2,000 |

Comments:

Spore types listed without a count or data entry were not detected during the course of the analysis for the respective sample.

^{*} Most of these spore types are not seen with culturable methods (Andersen sampling), although some may appear as non-sporulating fungi.

Most of the basidiospores are "mushroom" spores while the rusts and smuts are plant pathogens.

† The spores of Aspergillus and Penicillium (and others such as Acremonium, Paecilomyces) are small and round with very few distinguishing characteristics. They cannot be differentiated by non-viable sampling methods. Also, some species with very small spores are easily missed, and may be undercounted.

^{††}Background debris indicates the amount of non-biological particulate matter present on the trace (dust in the air) and the resulting visibility for the analyst. It is rated from 1+ (low) to 4+ (high). Counts from areas with 4+ background debris should be regarded as minimal counts and may be higher then reported. It is important to account for samples volumes when evaluating dust levels.

The Limit of Detection is the product of a raw count of 1 and 100 divided by the percent read. The analytical sensitivity (counts/m3) is the product of the Limit of Detection and 1000 divided by the sample volume.

For more information regarding analytical sensitivity, please contact QA by calling the laboratory.

‡ A "Version" indicated by -"x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

[§] Total Spores/m3 has been rounded to two significant figures to reflect analytical precision.

880 Riverside Parkway, West Sacramento, CA 95605 (866) 888-6653 Fax (650) 829-5852 www.emlab.com

Client: LaCroix Davis, LLC

C/O: Mr. Chris Corpuz, Mr. Ted Ice, Ms. Andrea

Steinbach

Re: DGS-BOE; Floor 4, Janitor Room Floor

Date of Sampling: 02-04-2012 Date of Receipt: 02-04-2012 Date of Report: 02-04-2012

MoldRANGETM: Extended Outdoor Comparison Outdoor Location: 2372.020412.EA01, Exterior South

| Fungi Identified | Outdoor | 7 | Гуріса | l Outd | oor Da | ta for | † |] | Гуріса | l Outd | oor Da | ta for | † |
|---------------------------------|-----------|-------------|---------|---------|-----------|--------------|--------|-------------|----------|----------|-----------|--------------|--------|
| | data | Feb | ruary i | n Calif | fornia (1 | n‡=140 |)18) | The e | ntire ye | ar in Ca | alifornia | (n‡=17 | 3838) |
| | spores/m3 | very low | low | med | high | very high | freq % | very low | low | med | high | very high | freq % |
| Generally able to grow indoors* | | | | | | | | | | | | | |
| Alternaria | - | 13 | 13 | 20 | 40 | 67 | 39 | 13 | 13 | 27 | 67 | 110 | 55 |
| Bipolaris/Drechslera group | - | 7 | 13 | 13 | 27 | 40 | 7 | 7 | 13 | 13 | 27 | 40 | 12 |
| Chaetomium | - | 7 | 13 | 13 | 27 | 40 | 9 | 8 | 13 | 13 | 27 | 44 | 19 |
| Cladosporium | 2,400 | 80 | 160 | 400 | 1,000 | 1,700 | 95 | 110 | 210 | 640 | 1,700 | 2,800 | 97 |
| Curvularia | - | 7 | 10 | 13 | 13 | 28 | 2 | 7 | 13 | 13 | 27 | 53 | 6 |
| Epicoccum | 53 | 7 | 13 | 13 | 27 | 53 | 12 | 8 | 13 | 13 | 33 | 53 | 19 |
| Nigrospora | - | 7 | 11 | 13 | 13 | 27 | 4 | 7 | 13 | 13 | 27 | 53 | 8 |
| Penicillium/Aspergillus types | 320 | 53 | 67 | 190 | 480 | 800 | 83 | 53 | 110 | 210 | 590 | 1,000 | 85 |
| Stachybotrys | - | 13 | 13 | 13 | 40 | 84 | 3 | 7 | 13 | 13 | 33 | 67 | 4 |
| Torula | - | 7 | 13 | 13 | 40 | 53 | 5 | 8 | 13 | 13 | 40 | 67 | 12 |
| Seldom found growing indoors** | | | | | | | | | | | | | |
| Ascospores | 690 | 27 | 53 | 160 | 530 | 960 | 74 | 25 | 53 | 110 | 350 | 690 | 72 |
| Basidiospores | 1,100 | 53 | 110 | 450 | 2,000 | 4,200 | 96 | 53 | 80 | 270 | 1,000 | 2,300 | 94 |
| Rusts | - | 8 | 13 | 13 | 40 | 73 | 14 | 13 | 13 | 13 | 53 | 80 | 27 |
| Smuts, Periconia, Myxomycetes | - | 13 | 13 | 27 | 67 | 110 | 54 | 13 | 13 | 40 | 110 | 200 | 68 |
| § TOTAL SPORES/m3 | 4,600 | | | | | | | | | | | | |

[†]The 'Typical Outdoor Data' represents the typical outdoor spore levels for the location and time frame indicated. The last column represents the frequency of occurrence. The very low, low, med, high, and very high values represent the 10, 20, 50, 80, and 90 percentile values of the spore type when it is detected. For example, if the frequency of occurrence is 63% and the low value is 53, it would mean that the given spore type is detected 63% of the time and, when detected, 20% of the time it is present in levels above the detection limit and below 53 spores/m3. These values are updated periodically, and if enough data is not available to make a statistically meaningful assessment, it is indicated with a dash.

Interpretation of the data contained in this report is left to the client or the persons who conducted the field work. This report is provided for informational and comparative purposes only and should not be relied upon for any other purpose. "Typical outdoor data" are based on the results of the analysis of samples delivered to and analyzed by EMLab P&K and assumptions regarding the origins of those samples. Sampling techniques, contaminants infecting samples, unrepresentative samples and other similar or dissimilar factors may affect these results. In addition, EMLab P&K may not have received and tested a representative number of samples for every region or time period. EMLab P&K hereby disclaims any liability for any and all direct, indirect, punitive, incidental, special or consequential damages arising out of the use or interpretation of the data contained in, or any actions taken or omitted in reliance upon, this report.

EMLab P&K, LLC EMLab ID: 884624, Page 1 of 2

[§] Total Spores/m3 has been rounded to two significant figures to reflect analytical precision.

^{*}The spores in this category are generally capable of growing on wet building materials in addition to growing outdoors. Building related growth is dependent upon the fungal type, moisture level, type of material, and other factors. *Cladosporium* is one of the predominant spore types worldwide and is frequently present in high numbers. *Penicillium/Aspergillus* species colonize both outdoor and indoor wet surfaces rapidly and are very easily dispersed. Other genera are usually present in lesser numbers.

^{**}These fungi are generally not found growing on wet building materials. For example, the rusts and smuts are obligate plant pathogens. However, in each group there are notable exceptions. For example, agents of wood decay are members of the basidiomycetes and high counts of a single morphological type of basidiospore on an inside sample should be considered significant.

 $[\]ddagger$ n = number of samples used to calculate data.

880 Riverside Parkway, West Sacramento, CA 95605 (866) 888-6653 Fax (650) 829-5852 www.emlab.com

Client: LaCroix Davis, LLC

C/O: Mr. Chris Corpuz, Mr. Ted Ice, Ms. Andrea

Steinbach

Re: DGS-BOE; Floor 4, Janitor Room Floor

Date of Sampling: 02-04-2012 Date of Receipt: 02-04-2012 Date of Report: 02-04-2012

MoldRANGETM: Extended Outdoor Comparison Outdoor Location: 2372.020412.EA04, Exterior North

| Fungi Identified | Outdoor | 7 | Гуріса | Outd | oor Da | ta for | † | 7 | Гуріса | l Outd | oor Da | ta for | † |
|---------------------------------|-----------|-------------|---------|---------|----------|--------------|--------|-------------|----------|----------|-----------|--------------|--------|
| | data | Feb | ruary i | n Calif | ornia (r | n‡=140 |)18) | The e | ntire ye | ar in Ca | ılifornia | (n‡=17 | 73838) |
| | spores/m3 | very low | low | med | high | very high | freq % | very low | low | med | high | very high | freq % |
| Generally able to grow indoors* | | | | | | | | | | | | | |
| Alternaria | 13 | 13 | 13 | 20 | 40 | 67 | 39 | 13 | 13 | 27 | 67 | 110 | 55 |
| Bipolaris/Drechslera group | - | 7 | 13 | 13 | 27 | 40 | 7 | 7 | 13 | 13 | 27 | 40 | 12 |
| Chaetomium | - | 7 | 13 | 13 | 27 | 40 | 9 | 8 | 13 | 13 | 27 | 44 | 19 |
| Cladosporium | 750 | 80 | 160 | 400 | 1,000 | 1,700 | 95 | 110 | 210 | 640 | 1,700 | 2,800 | 97 |
| Curvularia | - | 7 | 10 | 13 | 13 | 28 | 2 | 7 | 13 | 13 | 27 | 53 | 6 |
| Epicoccum | - | 7 | 13 | 13 | 27 | 53 | 12 | 8 | 13 | 13 | 33 | 53 | 19 |
| Nigrospora | - | 7 | 11 | 13 | 13 | 27 | 4 | 7 | 13 | 13 | 27 | 53 | 8 |
| Penicillium/Aspergillus types | 110 | 53 | 67 | 190 | 480 | 800 | 83 | 53 | 110 | 210 | 590 | 1,000 | 85 |
| Stachybotrys | - | 13 | 13 | 13 | 40 | 84 | 3 | 7 | 13 | 13 | 33 | 67 | 4 |
| Torula | - | 7 | 13 | 13 | 40 | 53 | 5 | 8 | 13 | 13 | 40 | 67 | 12 |
| Seldom found growing indoors** | | | | | | | | | | | | | |
| Ascospores | 210 | 27 | 53 | 160 | 530 | 960 | 74 | 25 | 53 | 110 | 350 | 690 | 72 |
| Basidiospores | 910 | 53 | 110 | 450 | 2,000 | 4,200 | 96 | 53 | 80 | 270 | 1,000 | 2,300 | 94 |
| Rusts | - | 8 | 13 | 13 | 40 | 73 | 14 | 13 | 13 | 13 | 53 | 80 | 27 |
| Smuts, Periconia, Myxomycetes | 13 | 13 | 13 | 27 | 67 | 110 | 54 | 13 | 13 | 40 | 110 | 200 | 68 |
| § TOTAL SPORES/m3 | 2,000 | | | | | | | | | | | | |

[†]The 'Typical Outdoor Data' represents the typical outdoor spore levels for the location and time frame indicated. The last column represents the frequency of occurrence. The very low, low, med, high, and very high values represent the 10, 20, 50, 80, and 90 percentile values of the spore type when it is detected. For example, if the frequency of occurrence is 63% and the low value is 53, it would mean that the given spore type is detected 63% of the time and, when detected, 20% of the time it is present in levels above the detection limit and below 53 spores/m3. These values are updated periodically, and if enough data is not available to make a statistically meaningful assessment, it is indicated with a dash.

Interpretation of the data contained in this report is left to the client or the persons who conducted the field work. This report is provided for informational and comparative purposes only and should not be relied upon for any other purpose. "Typical outdoor data" are based on the results of the analysis of samples delivered to and analyzed by EMLab P&K and assumptions regarding the origins of those samples. Sampling techniques, contaminants infecting samples, unrepresentative samples and other similar or dissimilar factors may affect these results. In addition, EMLab P&K may not have received and tested a representative number of samples for every region or time period. EMLab P&K hereby disclaims any liability for any and all direct, indirect, punitive, incidental, special or consequential damages arising out of the use or interpretation of the data contained in, or any actions taken or omitted in reliance upon, this report.

EMLab P&K, LLC EMLab ID: 884624, Page 2 of 2

[§] Total Spores/m3 has been rounded to two significant figures to reflect analytical precision.

^{*}The spores in this category are generally capable of growing on wet building materials in addition to growing outdoors. Building related growth is dependent upon the fungal type, moisture level, type of material, and other factors. *Cladosporium* is one of the predominant spore types worldwide and is frequently present in high numbers. *Penicillium/Aspergillus* species colonize both outdoor and indoor wet surfaces rapidly and are very easily dispersed. Other genera are usually present in lesser numbers.

^{**}These fungi are generally not found growing on wet building materials. For example, the rusts and smuts are obligate plant pathogens. However, in each group there are notable exceptions. For example, agents of wood decay are members of the basidiomycetes and high counts of a single morphological type of basidiospore on an inside sample should be considered significant.

 $[\]ddagger$ n = number of samples used to calculate data.

Dat. # 200175 /key; 24 /keysel: 6/29/09 Page 1 of 1, QAD

8.U0g

7 12 2

DATESTIME

DROP BOX RECEIVED BY

3/4/12 (6; PATE & TIME

A GHISINONI ME

Theory Dec

SO - Soil D. Dust

SW - Swab

B - 3ulk

\$45 - Surface Air Sampler · Contact Plate

BC - BioCassette A15 - Andersan

T-Tape

SAMPLE TYPE CODES ST - Spore Trap: Zefon, Allergenco, Burkard... P - Potable Water NP - Non-Potable Water | O - Other:

CHAIN OF CUSTODY 🐴 EAA!

| Spore Swab Water, Bulk, Dust, Soil, Contact Plate | Fungi - Spore Trap Analysis Spece Trap Analysis - Other particles Direct Microscopic Exam (Qualitacive) Quantiacive Spore Counc Direct Exam Quantiacive Spore Counc Direct Exam 1-Media Surface Fungi (Genus ID + Asp. spp.) 3-Media Surface Fungi (Genus ID + Asp. spp.) Culturable Air Fungi (Genus ID + Asp. spp.) Gram Stain and Counts (Culturable Air and Surface Bacteria) (Gram Stain and Counts (Culturable Air and Surface Bacteria) Membrane Filtration (Please specify organism) Membrane Filtration (Please specify organism) Asbustos Analysis - PCM Airbone Filber Count (MIOSH 7400) Asbustos Analysis - PLM (EtA method 600/R-93-116) Asbustos Analysis - PLM (EtA method 600/R-93-116) Asbustos Analysis - PLM (EtA method 600/R-93-116) All Membrane Filtration | |
|---|--|--|
| Www.EMLabPK.com Cherry Hill, NJ: 1936 Olney Avenue, Cherry Hill, NJ 08003 * (866) 871-1984 Phoenix, AZ: 1501 West Knudsen Onive, Phoenix, AZ 85027 * (800) 651-4802 San Bruno, CA: 1150 Buyhill Onive, #100, San Brano, CA 94066 * (866) 888-6653 Heavy | Congain Congai | |

By submitting this Chain of Custody, you agree to be bound by the terms and conditions set forth at www.cmlabp.k.com/terms.html Copyright © 2002-2009 EMLa5 P&K 🕠



Report for:

Mr. Chris Corpuz, Mr. Ted Ice, Ms. Andrea Steinbach LaCroix Davis, LLC 3685 Mt. Diablo Blvd. Suite 210 Lafayette, CA 94549

Regarding: Project: BPM-BOE; Floor 4 Rooms 415 and 416

EML ID: 922725

Approved by:

Lab Manager Malcolm Moody REVISED REPORT

Dates of Analysis: Spore trap analysis: 05-14-2012

Service SOPs: Spore trap analysis (1038)

All samples were received in acceptable condition unless noted in the Report Comments portion in the body of the report. Due to the nature of the analyses performed, field blank correction of results is not applied. The results relate only to the items tested.

EMLab P&K ("the Company") shall have no liability to the client or the client's customer with respect to decisions or recommendations made, actions taken or courses of conduct implemented by either the client or the client's customer as a result of or based upon the Test Results. In no event shall the Company be liable to the client with respect to the Test Results except for the Company's own willful misconduct or gross negligence nor shall the Company be liable for incidental or consequential damages or lost profits or revenues to the fullest extent such liability may be disclaimed by law, even if the Company has been advised of the possibility of such damages, lost profits or lost revenues. In no event shall the Company's liability with respect to the Test Results exceed the amount paid to the Company by the client therefor.

Document Number: 200091 - Revision Number: 5

880 Riverside Parkway, West Sacramento, CA 95605 (866) 888-6653 Fax (650) 829-5852 www.emlab.com

Client: LaCroix Davis, LLC

C/O: Mr. Chris Corpuz, Mr. Ted Ice, Ms. Andrea

Steinbach

Re: BPM-BOE; Floor 4 Rooms 415 and 416

Date of Sampling: 05-12-2012 Date of Receipt: 05-12-2012 Date of Report: 05-12-2012

SPORE TRAP REPORT: NON-VIABLE METHODOLOGY

| Location: | | 2-A01: or South | | 2-A02: SE Ambient | | 2-A03: 15 and 416 | | 2-A04: or North |
|--------------------------------|---------|--------------------|---------|----------------------|---------|----------------------|------|--------------------|
| Comments (see below) | | lone | | Vone | | Vone | | Vone |
| Lab ID-Version‡: | | 8374-2 | | 8375-2 | | 8376-2 | | 8377-2 |
| Analysis Date: | | 4/2012 | | 4/2012 | | 4/2012 | | 4/2012 |
| Thatybis Bute. | raw ct. | spores/m3 | | spores/m3 | | spores/m3 | | spores/m3 |
| Alternaria | 1 1 | 13 | 1aw Ct. | spores/1113 | 1aw Ct. | spores/1113 | 10 | 130 |
| Ascospores | 15 | 800 | | | | | 15 | 800 |
| Basidiospores | 2 | 110 | | | | | 14 | 750 |
| Chaetomium | | 110 | | | | | | 700 |
| Cladosporium | 52 | 2,800 | | | | | 69 | 3,700 |
| Epicoccum | | , | | | | | | ĺ |
| Fusarium | | | | | | | | |
| Myrothecium | | | | | | | | |
| Nigrospora | | | | | | | | |
| Oidium | 2 | 27 | | | | | 3 | 40 |
| Other colorless | | | | | | | | |
| Penicillium/Aspergillus types† | | | | | | | 3 | 160 |
| Pithomyces | | | | | | | | |
| Rusts | 16 | 210 | | | | | 30 | 400 |
| Smuts, Periconia, Myxomycetes | 61 | 810 | | | | | 174 | 2,300 |
| Stachybotrys | | | | | | | | |
| Stemphylium | 1 | 13 | | | | | | |
| Torula | | | 1 | 13 | | | | |
| Ulocladium | 2 | 27 | | | | | 1 | 13 |
| Zygomycetes | | | | | | | | |
| Background debris (1-4+)†† | 2+ | | 1+ | | 2+ | | 2+ | |
| Hyphal fragments/m3 | 67 | | < 13 | | 13 | | 200 | |
| Pollen/m3 | 450 | | < 13 | | < 13 | | 510 | |
| Skin cells (1-4+) | 1+ | | < 1+ | | < 1+ | | < 1+ | |
| Sample volume (liters) | 75 | | 75 | | 75 | | 75 | |
| § TOTAL SPORES/m3 | | 4,800 | | 13 | | < 13 | | 8,300 |

Comments:

Spore types listed without a count or data entry were not detected during the course of the analysis for the respective sample.

The analytical sensitivity is the spores/m3 divided by the raw count. The limit of detection is the analytical sensitivity multiplied by the sample volume divided by 1000.

EMLab P&K, LLC EMLab ID: 922725, Page 2 of 2

[†] The spores of Aspergillus and Penicillium (and others such as Acremonium, Paecilomyces) are small and round with very few distinguishing characteristics. They cannot be differentiated by non-viable sampling methods. Also, some species with very small spores are easily missed, and may be undercounted.

^{††}Background debris indicates the amount of non-biological particulate matter present on the trace (dust in the air) and the resulting visibility for the analyst. It is rated from 1+ (low) to 4+ (high). Counts from areas with 4+ background debris should be regarded as minimal counts and may be higher then reported. It is important to account for samples volumes when evaluating dust levels.

For more information regarding analytical sensitivity, please contact QA by calling the laboratory. \ddagger A "Version" indicated by -"x" after the Lab ID# with a value greater than 1 indicates a sample with amended data. The revision number is reflected by the value of "x".

[§] Total Spores/m3 has been rounded to two significant figures to reflect analytical precision.

880 Riverside Parkway, West Sacramento, CA 95605 (866) 888-6653 Fax (650) 829-5852 www.emlab.com

Client: LaCroix Davis, LLC

C/O: Mr. Chris Corpuz, Mr. Ted Ice, Ms. Andrea

Steinbach

Re: BPM-BOE; Floor 4 Rooms 415 and 416

Date of Sampling: 05-12-2012 Date of Receipt: 05-12-2012 Date of Report: 05-12-2012

MoldRANGETM: Extended Outdoor Comparison Outdoor Location: 51212-A01, Exterior South

| Fungi Identified | Outdoor | | Typica | l Outd | loor Da | ıta for | : | ı | Typica | l Outo | loor Da | ata for | : |
|---------------------------------|-----------|-------------|---------|----------|----------|--------------|--------|-------------|-----------|----------|----------|--------------|--------|
| | data | M | ay in C | Califori | nia (n‡= | =14606 | 5)† | The en | ntire yea | ar in Ca | lifornia | (n‡=17: | 5031)† |
| | spores/m3 | very low | low | med | high | very high | freq % | very low | low | med | high | very high | freq % |
| Generally able to grow indoors* | | | | | | | | | | | | | |
| Alternaria | 13 | 13 | 13 | 40 | 80 | 130 | 66 | 13 | 13 | 27 | 67 | 110 | 55 |
| Bipolaris/Drechslera group | - | 7 | 13 | 13 | 27 | 40 | 13 | 7 | 13 | 13 | 27 | 40 | 12 |
| Chaetomium | - | 7 | 13 | 13 | 27 | 40 | 23 | 8 | 13 | 13 | 27 | 44 | 19 |
| Cladosporium | 2,800 | 110 | 210 | 590 | 1,500 | 2,500 | 98 | 110 | 210 | 640 | 1,700 | 2,800 | 97 |
| Curvularia | - | 7 | 11 | 13 | 25 | 27 | 2 | 7 | 13 | 13 | 27 | 53 | 6 |
| Nigrospora | - | 7 | 11 | 13 | 13 | 27 | 4 | 7 | 13 | 13 | 27 | 53 | 8 |
| Penicillium/Aspergillus types | - | 53 | 53 | 180 | 430 | 740 | 81 | 53 | 110 | 210 | 590 | 1,000 | 85 |
| Stachybotrys | - | 7 | 13 | 13 | 33 | 67 | 5 | 7 | 13 | 13 | 33 | 67 | 4 |
| Stemphylium | 13 | 7 | 13 | 13 | 27 | 40 | 13 | 7 | 13 | 13 | 27 | 40 | 9 |
| Torula | - | 13 | 13 | 13 | 52 | 80 | 19 | 8 | 13 | 13 | 40 | 67 | 12 |
| Ulocladium | 27 | 7 | 13 | 13 | 27 | 33 | 8 | 8 | 13 | 13 | 27 | 40 | 10 |
| Seldom found growing indoors** | | | | | | | | | | | | | |
| Ascospores | 800 | 26 | 53 | 110 | 320 | 590 | 74 | 25 | 53 | 110 | 350 | 690 | 72 |
| Basidiospores | 110 | 40 | 67 | 210 | 690 | 1,400 | 92 | 53 | 80 | 270 | 1,000 | 2,300 | 94 |
| Oidium | 27 | 13 | 13 | 25 | 53 | 80 | 33 | 13 | 13 | 13 | 40 | 75 | 19 |
| Rusts | 210 | 13 | 13 | 27 | 53 | 93 | 41 | 13 | 13 | 13 | 53 | 80 | 27 |
| Smuts, Periconia, Myxomycetes | 810 | 13 | 27 | 67 | 200 | 360 | 80 | 13 | 13 | 40 | 110 | 200 | 68 |
| § TOTAL SPORES/m3 | 4,800 | | | | | | | | | | | | |

[†]The 'Typical Outdoor Data' represents the typical outdoor spore levels for the location and time frame indicated. The last column represents the frequency of occurrence. The very low, low, med, high, and very high values represent the 10, 20, 50, 80, and 90 percentile values of the spore type when it is detected. For example, if the frequency of occurrence is 63% and the low value is 53, it would mean that the given spore type is detected 63% of the time and, when detected, 20% of the time it is present in levels above the detection limit and below 53 spores/m3. These values are updated periodically, and if enough data is not available to make a statistically meaningful assessment, it is indicated with a

Interpretation of the data contained in this report is left to the client or the persons who conducted the field work. This report is provided for informational and comparative purposes only and should not be relied upon for any other purpose. "Typical outdoor data" are based on the results of the analysis of samples delivered to and analyzed by EMLab P&K and assumptions regarding the origins of those samples. Sampling techniques, contaminants infecting samples, unrepresentative samples and other similar or dissimilar factors may affect these results. In addition, EMLab P&K may not have received and tested a representative number of samples for every region or time period. EMLab P&K hereby disclaims any liability for any and all direct, indirect, punitive, incidental, special or consequential damages arising out of the use or interpretation of the data contained in, or any actions taken or omitted in reliance upon, this report.

EMLab P&K, LLC EMLab ID: 922725, Page 1 of 2

[§] Total Spores/m3 has been rounded to two significant figures to reflect analytical precision.

^{*}The spores in this category are generally capable of growing on wet building materials in addition to growing outdoors. Building related growth is dependent upon the fungal type, moisture level, type of material, and other factors. *Cladosporium* is one of the predominant spore types worldwide and is frequently present in high numbers. *Penicillium/Aspergillus* species colonize both outdoor and indoor wet surfaces rapidly and are very easily dispersed. Other genera are usually present in lesser numbers.

^{**}These fungi are generally not found growing on wet building materials. For example, the rusts and smuts are obligate plant pathogens. However, in each group there are notable exceptions. For example, agents of wood decay are members of the basidiomycetes and high counts of a single morphological type of basidiospore on an inside sample should be considered significant.

 $[\]ddagger$ n = number of samples used to calculate data.

880 Riverside Parkway, West Sacramento, CA 95605 (866) 888-6653 Fax (650) 829-5852 www.emlab.com

Client: LaCroix Davis, LLC

C/O: Mr. Chris Corpuz, Mr. Ted Ice, Ms. Andrea

Steinbach

Re: BPM-BOE; Floor 4 Rooms 415 and 416

Date of Sampling: 05-12-2012 Date of Receipt: 05-12-2012 Date of Report: 05-12-2012

MoldRANGE™: Extended Outdoor Comparison Outdoor Location: 51212-A04, Exterior North

| Fungi Identified | Outdoor | , | Typica | l Outd | loor Da | ata for | : | ı | Typica | l Outo | loor Da | ata for | : |
|---------------------------------|-----------|-------------|---------|----------|----------|--------------|--------|-------------|-----------|----------|----------|--------------|--------|
| | data | M | ay in C | Califori | nia (n‡= | =14606 | 5)† | The en | ntire yea | ır in Ca | lifornia | (n‡=17: | 5031)† |
| | spores/m3 | very low | low | med | high | very high | freq % | very low | low | med | high | very high | freq % |
| Generally able to grow indoors* | | | | | | | | | | | | | |
| Alternaria | 130 | 13 | 13 | 40 | 80 | 130 | 66 | 13 | 13 | 27 | 67 | 110 | 55 |
| Bipolaris/Drechslera group | - | 7 | 13 | 13 | 27 | 40 | 13 | 7 | 13 | 13 | 27 | 40 | 12 |
| Chaetomium | - | 7 | 13 | 13 | 27 | 40 | 23 | 8 | 13 | 13 | 27 | 44 | 19 |
| Cladosporium | 3,700 | 110 | 210 | 590 | 1,500 | 2,500 | 98 | 110 | 210 | 640 | 1,700 | 2,800 | 97 |
| Curvularia | - | 7 | 11 | 13 | 25 | 27 | 2 | 7 | 13 | 13 | 27 | 53 | 6 |
| Nigrospora | - | 7 | 11 | 13 | 13 | 27 | 4 | 7 | 13 | 13 | 27 | 53 | 8 |
| Penicillium/Aspergillus types | 160 | 53 | 53 | 180 | 430 | 740 | 81 | 53 | 110 | 210 | 590 | 1,000 | 85 |
| Stachybotrys | - | 7 | 13 | 13 | 33 | 67 | 5 | 7 | 13 | 13 | 33 | 67 | 4 |
| Stemphylium | - | 7 | 13 | 13 | 27 | 40 | 13 | 7 | 13 | 13 | 27 | 40 | 9 |
| Torula | - | 13 | 13 | 13 | 52 | 80 | 19 | 8 | 13 | 13 | 40 | 67 | 12 |
| Ulocladium | 13 | 7 | 13 | 13 | 27 | 33 | 8 | 8 | 13 | 13 | 27 | 40 | 10 |
| Seldom found growing indoors** | | | | | | | | | | | | | |
| Ascospores | 800 | 26 | 53 | 110 | 320 | 590 | 74 | 25 | 53 | 110 | 350 | 690 | 72 |
| Basidiospores | 750 | 40 | 67 | 210 | 690 | 1,400 | 92 | 53 | 80 | 270 | 1,000 | 2,300 | 94 |
| Oidium | 40 | 13 | 13 | 25 | 53 | 80 | 33 | 13 | 13 | 13 | 40 | 75 | 19 |
| Rusts | 400 | 13 | 13 | 27 | 53 | 93 | 41 | 13 | 13 | 13 | 53 | 80 | 27 |
| Smuts, Periconia, Myxomycetes | 2,300 | 13 | 27 | 67 | 200 | 360 | 80 | 13 | 13 | 40 | 110 | 200 | 68 |
| § TOTAL SPORES/m3 | 8,300 | | | | | | | | | | | | |

[†]The 'Typical Outdoor Data' represents the typical outdoor spore levels for the location and time frame indicated. The last column represents the frequency of occurrence. The very low, low, med, high, and very high values represent the 10, 20, 50, 80, and 90 percentile values of the spore type when it is detected. For example, if the frequency of occurrence is 63% and the low value is 53, it would mean that the given spore type is detected 63% of the time and, when detected, 20% of the time it is present in levels above the detection limit and below 53 spores/m3. These values are updated periodically, and if enough data is not available to make a statistically meaningful assessment, it is indicated with a

Interpretation of the data contained in this report is left to the client or the persons who conducted the field work. This report is provided for informational and comparative purposes only and should not be relied upon for any other purpose. "Typical outdoor data" are based on the results of the analysis of samples delivered to and analyzed by EMLab P&K and assumptions regarding the origins of those samples. Sampling techniques, contaminants infecting samples, unrepresentative samples and other similar or dissimilar factors may affect these results. In addition, EMLab P&K may not have received and tested a representative number of samples for every region or time period. EMLab P&K hereby disclaims any liability for any and all direct, indirect, punitive, incidental, special or consequential damages arising out of the use or interpretation of the data contained in, or any actions taken or omitted in reliance upon, this report.

EMLab P&K, LLC EMLab ID: 922725, Page 2 of 2

[§] Total Spores/m3 has been rounded to two significant figures to reflect analytical precision.

^{*}The spores in this category are generally capable of growing on wet building materials in addition to growing outdoors. Building related growth is dependent upon the fungal type, moisture level, type of material, and other factors. *Cladosporium* is one of the predominant spore types worldwide and is frequently present in high numbers. *Penicillium/Aspergillus* species colonize both outdoor and indoor wet surfaces rapidly and are very easily dispersed. Other genera are usually present in lesser numbers.

^{**}These fungi are generally not found growing on wet building materials. For example, the rusts and smuts are obligate plant pathogens. However, in each group there are notable exceptions. For example, agents of wood decay are members of the basidiomycetes and high counts of a single morphological type of basidiospore on an inside sample should be considered significant.

 $[\]ddagger$ n = number of samples used to calculate data.

| ₽ | |
|--------------|------|
| О | |
| \vdash | |
| STODY | |
| \supset | |
| CUS | 4004 |
| ī. | |
| P | 7 |
| U | _ |
| Z | 5 |
| 5 | ū |
| ₹ | 3 |
| . | Š |
| O | 2 |

ANTINI SP PRK

| - <u></u> | | | _ |
|-----------|--------------------------------|---|---|
| | 2725 | Olher Requests | |
| 37ED SER | neolookest 00092 Culturable | BioGassettem, Anderson, SAS, Swah, Water, Bulk, Duer, Soff, Contact Plates | |
| A REDUI | uluvable | Japa BioCassette ^m Swab Water, Bulk, [| - |
| | | Space Trap | |
| 3 | | Ī | |
| Puiw | | | |
| Snew | | | |
| | | | |
| Weather F | alerapus Maderala | Wall Heary ↓ □ | |
| | | | |

| <u></u> . | | | | | |
|-----------------------|--|---|-------------|---|----------|
| | = | j | _ | | |
| | | 1 200 | | Specify Service | r |
| | | _ ' \frac{\pi}{26} | | | <u> </u> |
| | 25 | Olher Requests | | (811-E6-RICCO barism AG2) MJ9 – sizylanA zotsedzA | _ |
| | 000922725 | - | _ / | ASD TO | Ē |
| | 22 | Ι. | ٦ | Ogenate Screen | |
| | ě | 8 | [] [] | May Bacteria (shecily organism): | = |
| | | 8 | 를 / | Membrane Filitation (specify organism): | = |
| 温 | | 1 15 | 를 | (adiasaly adapting engine Membrana (constant and constant | Ξ |
| \# | 986 8 1 2 0 8 | | 불 | Total Collicum, E. coll (Presences/Absence) | Ξ |
| REQUESTED SER | Cukuraha | BloCassettern, Anderson, SAS, Swah, Water Bulk Dura P. I. | ᇙᅡ | animo enecido Compania Contra de la Compania Contra de Cont | |
| ES S | 5 S | 2 | ≝ ŀ | Gram Stain & Counts (Culturable Air & Surface Bechala) | = |
| 6 | | | <u></u> | Configurable Air Fungi (Genus N + Asp. spp.) | Ξ |
| W | | 8 8 | <u> </u> | | = |
| | | | ፟ − | | = |
| | | | + | - Arka. skk + All Sunasce Fungi (Genus ID + Arka. skg.) | 봌 |
| 100 | | Japa Swab | 計 | Obsert Example Count Direct Example Count Direct Example Spore Count Direct Example Count Dir | 4 |
| | | | +- | (Qualifative) mext and construct the construction of the construct | إ |
| | Non-Culturable | Spore | ┆┟╼ | aslotineg nortitio – staylan A gail shogs | 1 |
| Alberta P | 688(- | (2) F | Ц_ | sieylenA der T stoot 2 - Ignut 1 25 25 25 25 25 25 25 25 25 25 25 25 25 | |
| 3 | | 7 | | | l |
| | | | | | 1 |
| <u></u> | <u></u> ╗┦┍╌╢┍ | - - | | | I |
| <u> </u> | - | | | | ł |
|] 🖟 | | | | | l |
| Rain Snaw | ╸ ┐ ┐ ┐ | <u></u> | | | I |
| | ┙╿┖╌┛╿ ╽ ╴ ╵┤╶╍ ┃ | | | | ĺ |
| Sole Constant | 1/0/0 | | | | ı |
| ा | ·┤╍┤ — ┆ | │ ┯╏┈ | | TURNAROUNDI Next Business Day Next Business Day Next Business Day Next Business Day Next Business Day 1 piatriotium 1 p | |
| S e | Light Moderale | Heary | | FINANSOUN STANDS Day Remove Day Residences Day Resi | |
| | a de la contraction de la cont | 2011 | | | |
| | 初點 | 135 | ı | MARROLL Mainers Dallow Walners Dallo | |
| | | | J | Total Office Same Business Day Run Weekand / Holiday Next Business Day Ru Nox Business Day Ru Nox Business Day Ru Nox Business Day Ru Nox Day Nox Business Day Ru Nox Business Day Ru Nox Business Day Ru Nox Day Nox Business Day Ru Nox Business Da | |
| خ اس | - | | | The Late Carter Carter Carter Carter Carter Business Day Neekand Indigay Telativolum Telativo | |
| | į | | - 6 | | |
| 3 8 | - | | | | |
| •ပိ | | | | | |
| 3 0 | | 8 | ľ | Modern Market Programmer 1977 1971 1971 1971 1971 1971 1971 197 | |
| j i | 콺 | 2 2 | | | |
| į [| ₽: | 4 55 5 5 | , j | | |
| A TestAmerica Company | 46.0 | 8 | | Secretary Special Institutions: 2487 M. Steera Weed, Special Institutions: 2487 M. Sampling S | |
| ř | 98 | 漫 | ij | PWZ; T. Luzz A. Sternbach 299-1140 PRODECTINEORMATIONS M. DOE HOONS 415 a Externology Externology Externology Externology Externology Externology Externology Externology Externology Alsoud 416 Externology Alsoud 416 | |
| 76 | 3 8 | 3.6 | 9 | Puz; T. Lez; A. Steinbad 299. 1140 PROJECTINEORMATION M. BOF Cock 4 Rooms 415 Extention Sampling Extention 45E Ambler Room 415 and 416 Extention Nov th | |
| () | 8,4 | 1 d | 3 | 劉 (2 國 一直 | |
| ** - | 25 ° 26 } | 虚 | | | |
| | H E | San | 8 | 1 1 20 1 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 | |
| | 돌 | 冒 | | 劉むころ劉のる 勝刻とごわら | |
| | ie ie | ± - | | 299. 1140 299. 1140 Externor Floor 4 5 Recon 4150 | |
| Ĕ | Aran Aser | 旨 | | | |
| ĕ | 활출 | 톳 | | | |
| Ĺ | | 9 9 | 1321 | | |
| ģ. | 183 1 17 | 무 | 影 | Autorix Devis, L.C. Address: 7089 O Corpus, T. Los; A. Stevebeck, Special Instruction: 225.299.1140 BPM - BO E Floor 4 Rooms 415 and 416 OLEXTENTON South Stand | |
| Ę | 3,4 | 3 | 撥 | | |
| TINGULADEA.GOM | Cherry Hil, MJ: 1936 Olnsy Avenue, Cherry Hil, NJ 08003 * (866) 871-1984 Phoenix, AZ: 1501 West Kradsen drive, Phoenix AZ REDOZ * Janes Fee | San Bruno, CA: 1150 Bayhill Drive, #100, Saa Bruno, CA 94066 * (866) 889-6653 | | | |
| | lem) Deni | | | Company: Contact: Phone: Project ID: Proje | |
| • | ចត្ | | 100 kg | Contract Project II Pr | į |
| | | ' | | | |

| | 32.01 | 7 |
|-------------|---|--------------|
| ᅫ | (100) (100) | |
| | | ٧N |
| ᆌ | | Ŧ |
| 4 | | Y |
| □ [| 8 | }- |
| 7 | |) |
| 뒦 | 742 | _ |
| #1 | | |
| ⊒ .] | | abla |
|][| | |
| 7 | \sim \sim | |
| ╡ | | \mathbf{X} |
| 4 | | " |
| ∐ | | |
|] [| 医头头 | |
| 7 | | |
| | | |
| 4 | | |
| Ц | | _ |
| 1 | | 1 |
| | 389 33 | |
| 1 | | |
| 1 | 畫 "6 | |
| 1 | | |
| | | |
| | 图。201 | |
| ľ | 企 國 | |
| | 20 - 22 - 22 - 22 - 22 - 22 - 22 - 22 - | |
| | | |
| l | | |
| | | |
| | | |
| | [編] マー | |
| | ·周·多 - | |
| | 图》 | |
| | | |
| | 園と | |
| | 圏 タ | |
| | 【 | |
| ĺ | | |
| | 関し、 | |
| | 388 1 7 | ╼┨ |
| f | 劚 [_ | - 1 |
| ŀ | <u> </u> | - 1 |
| 1 | 90 - Dust | _] |
| | <u> </u> | 1 |
| | | 7 |
| | | |
| 8 | | 51 |
| | | ij |
| | <u> </u> | 1 |
| į | 倒 . / . | . [. |
| į | [] [] [] [] [] | į |
| Įĝ | | 1 |
| ì | | |
| 1 | | 1 |
| 樓 | | 1 |
| | ST - Spor Alleigeno P - Polabl | ı |
| 35 | 0 4 C 2 | |
| 330) 320 | [[5] | Ĭ |
| 1 | 1 | 1 |
| 36 | 1 1 1 1 | |
| | 15 150 21 | |
| 300 | 를 무를 들는 기계를 들었다. | |
| | essette 1 esson Pace Alr S act Plate | |
| | lloCassette 1 Anderson Surface Alr S antect Plate | |
| | Blocassette 1 Anderson Sauriace Alr S Contact Plate | |
| | BC – Blocassette 1 A1S – Anderson SAS – Surface Alr S CP – Contact Plate | |

By submitting this Chain of Custody, you agree to be bound by the terms and conditions set forth at <u>fulls.//www.emajab.com/admatin/service/som</u>s.html

Doc. IIT152 Ray 25 Roysest 12502041 Page 1 of 1, UA